

# > UT8706K-2

Turbine Grinder Kit ( 54000 rpm)

- Type Straight
- Size 1/8"
- Motor Power 0.25 HP
- Free Speed 54,000 RPM
- Av Air Con 4 CFM
- Vibration Level 2.5 m/sec<sup>2</sup>
- Sound Pressure 72.0 dB (a)
- Weight 0.2 kg
- Length 133 mm
- Air Inlet 1/4" BSP



+ 44 (1) 494 883300  
sales@ut-tools.com



**UNIVERSAL  
AIR TOOLS**

UNIVERSAL AIR TOOL CO., LTD  
UNIT 8, LANE END INDUSTRIAL PARK  
HIGH WYCOMBE, HP14 3BY  
UNITED KINGDOM

# **UT8714**

Pencil Grinder 70,000 RPM

- **Type Precision**
- **Size 1/8"**
- **Motor Power 0.25 HP**
- **Free Speed 70000 RPM**
- **Air Cons. 5.7 CFM**
- **Length 121 mm**
- **Weight 0.20 kg**
- **Air Inlet 1/4" BSP**
- **Max Wheel Dia 1/8"**



+ 44 (1) 494 883300  
[sales@ut-tools.com](mailto:sales@ut-tools.com)



**UNIVERSAL  
AIR TOOLS**

UNIVERSAL AIR TOOL CO., LTD  
UNIT 8, LANE END INDUSTRIAL PARK  
HIGH WYCOMBE, HP14 3BY  
UNITED KINGDOM

**FEATURES**

- Roll throttle & small diameter grip for constant speed & operator control
- Supplied complete with coaxial hose assembly
- Rear exhaust keeps work area clean from cuttings
- Gearless design reduces maintenance costs
- 70,000 RPM for high speed, precision work
- Best for: Precision grinding in mold and die maintenance

**SPECIFICATIONS**

Motor (HP)	0.25
Motor (kW)	0.18
Max. Wheel Dia. (in)	1/8
Speed (RPM)	70,000
Exhaust	Rear
Collet Size (in)	1/8
Weight (lbs.)	0.5
Weight (kg.)	0.2
Length (in.)	5.90
Length (mm)	150
Air Inlet (in.)	1/4
Rec. Hose (I.D. in.)	1/4
Air Cons. (cfm)	12
Avg. Air Cons (cfm)	5.7
Rec. Pressure	90 psi-6.2 bar



## Air Tools for Industry





### FEATURES

- 0.9 HP motor for extra stall resistance
- Safety lock-off throttle
- Rear exhaust keeps work area clean from cuttings
- Precision engineered for added reliability
- Ergonomic "Softouch" coating offers ultimate comfort and reduced vibration
- Best for: Continuous heavy duty grinding

### SPECIFICATIONS

Motor (HP)	0.9
Motor (kW)	0.65
Max. Wheel Dia. (in)	2
Speed (RPM)	22,000
Exhaust	Rear
Collet Size (in)	1/4
Weight (lbs.)	1.5
Weight (kg.)	0.7
Length (in.)	6.10
Length (mm)	155
Air Inlet (in.)	1/4
Rec. Hose (I.D. in.)	3/8
Air Cons. (cfm)	22
Avg. Air Cons (cfm)	5.5
Rec. Pressure	90 psi-6.2 bar



## Air Tools for Industry



# **UT8728E**

8mm Composite Extended Die Grinder

- **Type Straight**
- **Size 8mm**
- **Motor Power 0.90 HP**
- **Free Speed 22000 RPM**
- **Air Cons 5.5 CFM**
- **Sound 83.7 dB (a)**
- **Vibration 2.1 m/sec**
- **Length 305 mm**
- **Weight 1.1 kg**
- **Air Inlet 1/4" BSP**
- **Max Wheel Dia 2"**



**+ 44 (1) 494 883300**  
**sales@ut-tools.com**



**UNIVERSAL  
AIR TOOLS**

UNIVERSAL AIR TOOL CO., LTD  
UNIT 8, LANE END INDUSTRIAL PARK  
HIGH WYCOMBE, HP14 3BY  
UNITED KINGDOM

### FEATURES

- 0.9 HP motor for ultimate stall resistance
- Safety lock-off throttle
- Rear exhaust keeps work area clean from cuttings
- Precision engineered for added reliability
- Ergonomic "Softouch" coating offers ultimate comfort and reduced vibration
- Spiral machined bevel and pinion gears for smooth operation and durability
- Also available with threaded output spindle for use with cone wheel.
- Best for: Continuous heavy duty grinding, & sanding applications using 2" & 3" sanding discs

### SPECIFICATIONS

Motor (HP)	0.9
Motor (kW)	0.65
Max. Wheel Dia. (in)	2
Speed (RPM)	22,000
Exhaust	Rear
Collet Size (in)	1/4
Weight (lbs.)	2.4
Weight (kg.)	1.1
Length (in.)	12.00
Length (mm)	305
Air Inlet (in.)	1/4
Rec. Hose (I.D. in.)	3/8
Air Cons. (cfm)	22
Avg. Air Cons (cfm)	5.5
Rec. Pressure	90 psi-6.2 bar



## Air Tools for Industry





### FEATURES

- 0.9 HP motor for ultimate stall resistance
- Safety lock-off throttle
- Rear exhaust keeps work area clean from cuttings
- Steel housing and precision engineered for added reliability
- **FEATURES** threaded output spindle for use with cone wheel
- Best for: Continuous heavy duty grinding in rugged applications

### SPECIFICATIONS

Motor (HP)	0.9
Motor (kW)	0.65
Max. Wheel Dia. (in)	2
Speed (RPM)	22,000
Exhaust	Rear
Collet Size (in)	3/8"-2.4
Weight (lbs.)	3.5
Weight (kg.)	1.46
Length (in.)	15.25
Length (mm)	362
Air Inlet (in.)	1/4
Rec. Hose (I.D. in.)	3/8
Air Cons. (cfm)	22
Avg. Air Cons (cfm)	5.5
Rec. Pressure	90 psi-6.2 bar



## Air Tools for Industry



### FEATURES

- 0.9 HP motor for extra stall resistance
- Safety lock-off throttle
- Rear exhaust keeps work area clean from cuttings
- Precision engineered for added reliability
- Ergonomic "Softouch" coating offers ultimate comfort and reduced vibration
- Spiral machined bevel and pinion gears for smooth operation and durability
- Best for: Continuous heavy duty grinding, & sanding applications using 2" & 3" sanding discs

### SPECIFICATIONS

Motor (HP)	0.9
Motor (kW)	0.65
Max. Wheel Dia. (in)	2
Speed (RPM)	18,000
Exhaust	Rear
Collet Size (in)	1/4
Weight (lbs.)	1.6
Weight (kg.)	0.7
Length (in.)	7.40
Length (mm)	188
Air Inlet (in.)	1/4
Rec. Hose (I.D. in.)	3/8
Air Cons. (cfm)	22
Avg. Air Cons (cfm)	5.5
Rec. Pressure	90 psi-6.2 bar



## Air Tools for Industry





### FEATURES

- 0.40 HP motor for added stall resistance
- Exceptionally large spiral gear and pinion double tool life
- Only 79 dBa sound pressure
- Erickson® style collet
- Contoured composite housing for comfort
- Parts interchange with Ingersoll Rand® CA120R, CA200R, CD200R series
- Best for: Continuous heavy duty grinding

### SPECIFICATIONS

Motor (HP)	0.40
Motor (kW)	0.29
Max. Wheel Dia. (in)	2
Guard Type	NA
Speed (RPM)	25,000
Exhaust	Rear/Front
Collet Size (in)	1/4
Weight (lbs.)	1.2
Weight (kg.)	0.5
Length (in.)	6.2
Length (mm)	157
Air Inlet (in.)	1/4
Rec. Hose (I.D. in.)	3/8"
Air Cons. (cfm)	3.5
Avg. Air Cons (cfm)	3.5
Rec. Pressure	90 psi-6.2 bar



## Air Tools for Industry



### FEATURES

- Safety lock-off throttle
- Rear exhaust keeps work area clean from cuttings
- Steel housing and precision engineered for added reliability
- Also available with threaded output spindle for use with cone wheel.
- Best for: Continuous heavy duty grinding in rugged applications

### SPECIFICATIONS

Motor (HP)	0.9
Motor (kW)	0.65
Max. Wheel Dia. (in)	2
Speed (RPM)	22,000
Exhaust	Rear
Collet Size (in)	1/4
Weight (lbs.)	1.5
Weight (kg.)	0.7
Length (in.)	6.10
Length (mm)	155
Air Inlet (in.)	1/4
Rec. Hose (I.D. in.)	3/8
Air Cons. (cfm)	22
Avg. Air Cons (cfm)	5.5
Rec. Pressure	90 psi-6.2 bar



## Air Tools for Industry



# **UT8737**

115° Angle Die Grinder

- **Type Angle**
- **Collet Size 1/4"**
- **Motor Power 0.65 HP**
- **Free Speed (RPM) 20,000**
- **Air Cons. 4 CFM**
- **Length 194 mm**
- **Weight 0.6 kg**
- **Air Inlet 1/4"**
- 



**+ 44 (1) 494 883300**  
**sales@ut-tools.com**



**UNIVERSAL  
AIR TOOLS**

UNIVERSAL AIR TOOL CO., LTD  
UNIT 8, LANE END INDUSTRIAL PARK  
HIGH WYCOMBE, HP14 3BY  
UNITED KINGDOM



# **UT8724**

6mm Industrial Die Grinde

- **Type Straight**
- **Size 6 mm**
- **Motor Power 0.45 HP**
- **Free Speed 20000 RPM**
- **Air Cons 4.5 CFM**
- **Sound 78 dB (a)**
- **Vibration 3.5 m/sec<sup>2</sup>**
- **Length 165 mm**
- **Weight 0.5 kg**
- **Air Inlet 1/4" BSP**
- **Max Wheel Dia 2"**



**+ 44 (1) 494 883300**  
**sales@ut-tools.com**



**UNIVERSAL  
AIR TOOLS**

UNIVERSAL AIR TOOL CO., LTD  
UNIT 8, LANE END INDUSTRIAL PARK  
HIGH WYCOMBE, HP14 3BY  
UNITED KINGDOM

# **UT8724-20**

90 Degree Grinder

- **Type Angle**
- **Size 6 mm**
- **Motor Power 0.45 HP**
- **Free Speed 20000 RPM**
- **Air Cons 4.5 CFM**
- **Sound 78 dB (a)**
- **Vibration 2.4 m/sec**
- **Length 165 mm**
- **Weight 0.55 kg**
- **Air Inlet 1/4" BSP**
- **Max Wheel Dia 2"**



**+ 44 (1) 494 883300**  
**sales@ut-tools.com**



**UNIVERSAL  
AIR TOOLS**

UNIVERSAL AIR TOOL CO., LTD  
UNIT 8, LANE END INDUSTRIAL PARK  
HIGH WYCOMBE, HP14 3BY  
UNITED KINGDOM

# UT8724T-20

1/4" Angle Die Grinder .45HP 20,000 RPM

- **Type Angle**
- **Collet Size 1/4"**
- **Motor Power 0.45 HP**
- **Free Speed 20000 RPM**
- **Air Cons 4.5 CFM**
- **Sound 78 dB (a)**
- **Vibration 2.4 m/sec<sup>2</sup>**
- **Length 165 mm**
- **Weight 0.55 kg**
- **Air Inlet 1/4" BSP**
- **Max Wheel Dia 2"**



+ 44 (1) 494 883300  
sales@ut-tools.com



**UNIVERSAL  
AIR TOOLS**

UNIVERSAL AIR TOOL CO., LTD  
UNIT 8, LANE END INDUSTRIAL PARK  
HIGH WYCOMBE, HP14 3BY  
UNITED KINGDOM



# > UT4425-1

Die Grinder

- **Type Straight**
  - **Size 1/4"**
  - **Motor Power 1.0 HP**
  - **Free Speed 25000 RPM**
  - **Air Cons 5.5 CFM**
  - **Sound 86 dB (a)**
  - **Vibration 2.5 m/Sec<sup>2</sup>**
  - **Length 159 mm**
- Weight 0.9 kg**  
**Air Inlet 1/4" BSP**  
**Max Wheel Dia 2"**



+ 44 (1) 494 883300  
sales@ut-tools.com



**UNIVERSAL  
AIR TOOLS**

UNIVERSAL AIR TOOL CO., LTD  
UNIT 8, LANE END INDUSTRIAL PARK  
HIGH WYCOMBE, HP14 3BY  
UNITED KINGDOM



# ➤ UT4425E-1

(Extended) Die Grinder

- **Type Straight**
  - **Collet Size 1/4"**
  - **Motor Power 1.0 HP**
  - **Free Speed 25000 RPM**
  - **Air Cons 5.5 CFM**
  - **Sound 86 dB (a)**
  - **Vibration 2.5 m/Sec<sup>2</sup>**
  - **Length 283 mm**
- Weight 1.4 kg**  
**Air Inlet 1/4" BSP**  
**Max Wheel Dia 2"**



+ 44 (1) 494 883300  
sales@ut-tools.com



**UNIVERSAL  
AIR TOOLS**

UNIVERSAL AIR TOOL CO., LTD  
UNIT 8, LANE END INDUSTRIAL PARK  
HIGH WYCOMBE, HP14 3BY  
UNITED KINGDOM

**FEATURES**

- 1.0 HP Motor for Stall resistance
- Latest Design Lock- Off Throttle
- All Steel construction for durability
- Parts Interchange with # CP®-9113G Series
- Double Bearing in shaft for durability
- Best for: Super heavy duty grinding applications in foundry, shipbuilding and heavy metal fabrication

**SPECIFICATIONS**

Motor (HP)	1.0
Motor (kW)	0.73
Max. Wheel Dia. (in)	2
Guard Type	N/A
Speed (RPM)	25,000
Exhaust	Side
Spindle Size	3/8"-24
Weight (lbs.)	3.5
Weight (kg.)	1.46
Length (in.)	14.25
Length (mm)	362
Air Inlet (in.)	1/4
Rec. Hose (I.D. in.)	3/8
Air Cons. (cfm)	24
Avg. Air Cons (cfm)	6



**Air Tools for Industry**







# **UT 4425E-CWS**

IND. Ext. Die Grinder

- **Type Straight**
  - **Motor Power 1.0 HP**
  - **Speed 20,000 RPM**
  - **Air Cons. 24 CFM**
  - **Sound 86 dB(a)**
  - **Vibration 2.5 m/Sec<sup>2</sup>**
  - **Length 603mm**
  - **Weight 2 kg**
- Air Inlet 1/4" BSP**  
**Max Wheel Dia 2"**



**+ 44 (1) 494 883300**  
**sales@ut-tools.com**



**UNIVERSAL  
AIR TOOLS**

UNIVERSAL AIR TOOL CO., LTD  
UNIT 8, LANE END INDUSTRIAL PARK  
HIGH WYCOMBE, HP14 3BY  
UNITED KINGDOM

### FEATURES

- 0.9 HP motor for extra stall resistance
- Safety lock-off throttle
- Rear exhaust keeps work area clean from cuttings
- Precision engineered for added reliability
- Ergonomic "Softouch" coating offers ultimate comfort and reduced vibration
- Spiral machined bevel and pinion gears for smooth operation and durability
- Best for: Continuous heavy duty grinding, & sanding applications using 2" & 3" sanding discs

### SPECIFICATIONS

Motor (HP)	0.9
Motor (kW)	0.65
Max. Wheel Dia. (in)	3
Speed (RPM)	12,000
Exhaust	Rear
Collet Size (in)	1/4
Weight (lbs.)	1.6
Weight (kg.)	0.7
Length (in.)	7.40
Length (mm)	188
Air Inlet (in.)	1/4
Rec. Hose (I.D. in.)	3/8
Air Cons. (cfm)	22
Avg. Air Cons (cfm)	5.5
Rec. Pressure	90 psi-6.2 bar



## Air Tools for Industry



# **UT8724-12**

Angle Die Grinder

- **Type Angle**
- **Size 1/4"**
- **Motor Power 0.45 HP**
- **Free Speed 12000 RPM**
- **Air Cons 4.5 CFM**
- **Sound 78 dB (a)**
- **Vibration 2.4 m/sec<sup>2</sup>**
- **Length 165 mm**
- **Weight 0.55 kg**
- **Air Inlet 1/4" BSP**
- **Max Wheel Dia 3"**



**+ 44 (1) 494 883300**  
**sales@ut-tools.com**



**UNIVERSAL  
AIR TOOLS**

UNIVERSAL AIR TOOL CO., LTD  
UNIT 8, LANE END INDUSTRIAL PARK  
HIGH WYCOMBE, HP14 3BY  
UNITED KINGDOM





# > UT100S-18-6

Extended 1hp Horizontal Grinder 6 mm Collet

- **Type Straight**
- **Collet Size 6 mm**
- **Motor 1.0 (HP)**
- **Free Speed 18,000 RPM**
- **Air Cons 10 CFM**
- **Sound 82 dB (a)**
- **Vibration 1.4 m/Sec<sup>2</sup>**
- **Length 338 mm**
- **Weight 1.47 kg**
- **Air Inlet 1/4" BSP**
- **Max. Wheel Dia. 3"**



+ 44 (1) 494 883300  
sales@ut-tools.com



**UNIVERSAL  
AIR TOOLS**

UNIVERSAL AIR TOOL CO., LTD  
UNIT 8, LANE END INDUSTRIAL PARK  
HIGH WYCOMBE, HP14 3BY  
UNITED KINGDOM

### FEATURES

- 0.9 HP motor for extra stall resistance
- Safety lock-off throttle
- Rear exhaust keeps work area clean from cuttings
- Precision engineered for added reliability
- Ergonomic "Softouch" coating offers ultimate comfort and reduced vibration
- Accepts templates offered by Sioux and Dotco
- UT8728RT2: Template Nose Router
- Best for: Removal of flashing from molded parts and trimming of plastic, wood, aluminum and fiberglass

### SPECIFICATIONS

Motor (HP)	0.9
Motor (kW)	0.65
Max. Wheel Dia. (in)	NA
Guard Type	NA
Speed (RPM)	22,000
Exhaust	Rear
Spindle Size	NA
Weight (lbs.)	1.5
Weight (kg.)	0.7
Length (in.)	6.10
Length (mm)	155
Air Inlet (NPT)	1/4
Hose Size I.D. (in)	No
Air Cons. (cfm)	5.5
Avg. Air Cons (cfm)	5.5
Rec. Pressure	90 psi-6.2 bar



## Air Tools for Industry



### FEATURES

- 0.9 HP motor for extra stall resistance
- Safety lock-off throttle
- Rear exhaust keeps work area clean from cuttings
- Precision engineered for added reliability
- Accepts templates offered by Sioux&REG and Dotco&REG
- UT8728RT2: Template Nose Router
- Best for: Removal of flashing from molded parts and trimming of plastic, wood, aluminum and fiberglass
- Ergonomic "Softouch" coating offers ultimate comfort and reduced vibration

### SPECIFICATIONS

Motor (HP)	0.9
Motor (kW)	0.65
Max. Wheel Dia. (in)	NA
Guard Type	NA
Speed (RPM)	22,000
Exhaust	Rear
Collet Size (in)	1/4
Weight (lbs.)	1.5
Weight (kg.)	0.7
Length (in.)	7.4
Length (mm)	188
Air Inlet (in.)	1/4
Rec. Hose (I.D. in.)	3/8"
Air Cons. (cfm)	5.5
Avg. Air Cons (cfm)	5.5
Rec. Pressure	90 psi-6.2 bar



## Air Tools for Industry







# **UT200H-90-CW**

2 HP Cone Wheel Horizontal Grinder

- **Type Straight**
- **1/8" Collet**
- **Motor Power 2.0 HP**
- **Free Speed 9000 RPM**
- **Air Cons 10 CFM**
- **Sound 86 dB (a)**
- **Vibration 2.1 m/sec<sup>2</sup>**
- **Length 445 mm**
- **Weight 4.1 kg**
- **Air Inlet 1/4" NPT**
- **Max Wheel Dia 3" Cone**



**+ 44 (1) 494 883300**  
**sales@ut-tools.com**



**UNIVERSAL  
AIR TOOLS**

UNIVERSAL AIR TOOL CO., LTD  
UNIT 8, LANE END INDUSTRIAL PARK  
HIGH WYCOMBE, HP14 3BY  
UNITED KINGDOM

# UT8775-ABK

Multi-Functional Grinder Kit

- **Type Straight**
  - **Collet Size 1/4"**
  - **Motor Power 0.5 HP**
  - **Free Speed 4000 RPM**
  - **Air Cons 4 CFM**
  - **Sound 81 dB (a)**
  - **Vibration < 2.5 m/sec<sup>2</sup>**
  - **Length 270 mm**
- Weight 1.2 kg**  
**Air Inlet 1/4" BSP**



+ 44 (1) 494 883300  
sales@ut-tools.com



**UNIVERSAL  
AIR TOOLS**

UNIVERSAL AIR TOOL CO., LTD  
UNIT 8, LANE END INDUSTRIAL PARK  
HIGH WYCOMBE, HP14 3BY  
UNITED KINGDOM



# UT 200H-90-CWE

Extended Length & Horizontal Cone Wheel Grinder 2HP

- **Type Straight**
  - **Collet size 1/8"**
  - **Motor Power 2.0 HP**
  - **Free Speed 9000 RPM**
  - **Air Cons 10 CFM**
  - **Sound 86 dB(a)**
  - **Vibration 2.5 m/Sec<sup>2</sup>**
  - **Length 660 mm**
- Weight 4.3 kg**  
**Air Inlet 1/4" NPT Max**  
**Wheel Dia 3" Cone**



+ 44 (1) 494 883300  
sales@ut-tools.com



**UNIVERSAL  
AIR TOOLS**

UNIVERSAL AIR TOOL CO., LTD  
UNIT 8, LANE END INDUSTRIAL PARK  
HIGH WYCOMBE, HP14 3BY  
UNITED KINGDOM



### FEATURES

- Lubrication free
- Durable aluminum housing
- Precision collet
- Low vibration
- Best for: Precision grinding in aerospace, turbine and mold maintenance. Designed for use in a lubrication free environment.

### SPECIFICATIONS

Motor (HP)	0.06
Motor (kW)	0.04
Max. Wheel Dia. (in)	3/16
Speed (RPM)	100,000
Exhaust	Front
Collet Size (in)	1/8
Weight (lbs.)	0.66
Weight (kg.)	0.3
Length (in.)	7.48
Length (mm)	190
Air Inlet (in.)	1/4
Rec. Hose (I.D. in.)	3/16
Air Cons. (cfm)	7
Avg. Air Cons (cfm)	1.0
Rec. Pressure	90 psi-6.2 bar



## Air Tools for Industry



# > UT8740B14

4 1/2" Angle Grinder M14 Spindle

- Type Angel
  - Size 4 1/2"
  - Motor Output 0.75 HP
  - Free Speed 10,000 RPM
  - Av Air Con 4 CFM
  - Sound Level 83 dB (a)
  - Vibration Level 1.2 m/sec<sup>2</sup>
  - Length 238 mm
- Weight 2 kg  
Air Inlet 1/4 bsp



+ 44 (1) 494 883300  
sales@ut-tools.com



**UNIVERSAL  
AIR TOOLS**

UNIVERSAL AIR TOOL CO., LTD  
UNIT 8, LANE END INDUSTRIAL PARK  
HIGH WYCOMBE, HP14 3BY  
UNITED KINGDOM

# **UT9750A**

4 1/2" Angle Grinder M14 Thread

- **Type Angle**
- **Size 4 1/2"**
- **Motor Power 0.90 HP**
- **Free Speed 11000 RPM**
- **Air Cons 4 CFM**
- **Sound 83 dB (a)**
- **Vibration 83 m/sec<sup>2</sup>**
- **Length 200 mm**
- **Weight 1.6 kg**
- **Air Inlet 1/4" BSP**



**+ 44 (1) 494 883300**  
**sales@ut-tools.com**



**UNIVERSAL  
AIR TOOLS**

UNIVERSAL AIR TOOL CO., LTD  
UNIT 8, LANE END INDUSTRIAL PARK  
HIGH WYCOMBE, HP14 3BY  
UNITED KINGDOM



# **UT8750-T**

4" Angle Grinder M10 Thread \*plain\*

- Type Angel
- Size 4"
- Motor Power 0.75 HP
- Free Speed 12,000 rpm
- Av Air Cons. 10 CFM
- Sound Pressure 82.9 dB (a)
- Vibration Level 5.1 m/sec<sup>2</sup>
- Length 220 mm
- Weight 1.76 kg
- Air Inlet 1/4 BSP



+ 44 (1) 494 883300  
sales@ut-tools.com



**UNIVERSAL  
AIR TOOLS**

UNIVERSAL AIR TOOL CO., LTD  
UNIT 8, LANE END INDUSTRIAL PARK  
HIGH WYCOMBE, HP14 3BY  
UNITED KINGDOM

**FEATURES**

- 1.0 HP Motor for Stall resistance
- Latest design lock-off throttle
- All steel construction for durability
- Parts interchange with # CP@-9113G Series
- Band type guard for ease of adjustment
- Low head height 2.4"
- Best for: super heavy duty grinding applications in foundry, shipbuilding and heavy metal fabrication

**SPECIFICATIONS**

Motor (HP)	1.0
Motor (kW)	0.73
Max. Wheel Dia. (in)	4
Guard Type	Type 27
Speed (RPM)	13,500
Exhaust	Side
Collet Size (in)	3/8"-24
Weight (lbs.)	4.3
Weight (kg.)	1.9
Length (in.)	10.5
Length (mm)	267
Air Inlet (in.)	1/4
Rec. Hose (I.D. in.)	3/8
Air Cons. (cfm)	24
Avg. Air Cons (cfm)	6
Rec. Pressure	90 psi-6.2 bar



Air Tools for Industry



# ➤ UT8740A10

4" Angle Grinder M10 Spindle

- Type Angel
  - Size 4"
  - Motor Power 0.75 HP
  - Speed 10,000 RPM
  - Av Air Con 4 cfm
  - Sound Level 83 db(a)
  - Vibration Level 1.2 m/sec<sup>2</sup>
  - Length 238 mm
- Weight 2 kg  
Air Inlet 1/4 bsp



+ 44 (1) 494 883300  
sales@ut-tools.com



**UNIVERSAL  
AIR TOOLS**

UNIVERSAL AIR TOOL CO., LTD  
UNIT 8, LANE END INDUSTRIAL PARK  
HIGH WYCOMBE, HP14 3BY  
UNITED KINGDOM



# ➤ UT8740A14

4" Angle grinder M14 Spindle

- Type Angel
- Size 4"
- Motor Power 0.75 HP
- Free Speed 10,000 RPM
- Av Air Con 4 CFM
- Sound Level 83 dB (a)
- Vibration Level 1.2 m/sec<sup>2</sup>
- Length 238 mm

**Weight 2 kg**

**Air Inlet 1/4 BSP**



+ 44 (1) 494 883300  
sales@ut-tools.com



**UNIVERSAL  
AIR TOOLS**

UNIVERSAL AIR TOOL CO., LTD  
UNIT 8, LANE END INDUSTRIAL PARK  
HIGH WYCOMBE, HP14 3BY  
UNITED KINGDOM

# **UT9750**

4" Angle Grinder M10 Thread

- **Type Angle**
- **Size 4"**
- **Motor Power 0.90 HP**
- **Free Speed 11000 RPM**
- **Air Cons. 4 CFM**
- **Sound 83 dB (a)**
- **Vibration 1.2 m/sec<sup>2</sup>**
- **Length 200 mm**
- **Weight 1.6 kg**
- **Air Inlet 1/4" BSP**



**+ 44 (1) 494 883300**  
**sales@ut-tools.com**



**UNIVERSAL  
AIR TOOLS**

UNIVERSAL AIR TOOL CO., LTD  
UNIT 8, LANE END INDUSTRIAL PARK  
HIGH WYCOMBE, HP14 3BY  
UNITED KINGDOM

# **UT9750B**

5" Angle Grinder M14 Thread

- **Type Angle**
- **Size 5"**
- **Motor Power 0.90 HP**
- **Free Speed 11000 RPM**
- **Air Cons 4 CFM**
- **Sound 83 dB (a)**
- **Vibration 2.5 m/sec<sup>2</sup>**
- **Length 200 mm**
- **Weight 1.6 kg**
- **Air Inlet 1/4" BSP**



**+ 44 (1) 494 883300**  
**sales@ut-tools.com**



**UNIVERSAL  
AIR TOOLS**

UNIVERSAL AIR TOOL CO., LTD  
UNIT 8, LANE END INDUSTRIAL PARK  
HIGH WYCOMBE, HP14 3BY  
UNITED KINGDOM



# ➤ UT8740C14

5" Angle Grinder M14 Spindle

- Type Angel
  - Size 5"
  - Motor Output 0.75 HP
  - Free Speed 10,000 RPM
  - Av Air Con 4 CFM
  - Sound Level 83 dB (a)
  - Vibration Level 1.2 m/sec<sup>2</sup>
  - Length 238 mm
- Weight 2 kg**  
**Air Inlet 1/4 BSP**



+ 44 (1) 494 883300  
sales@ut-tools.com



**UNIVERSAL  
AIR TOOLS**

UNIVERSAL AIR TOOL CO., LTD  
UNIT 8, LANE END INDUSTRIAL PARK  
HIGH WYCOMBE, HP14 3BY  
UNITED KINGDOM



# > UT8768-3V-60-6

6' HD Vertical Grinder 3HP

- Type Straight (Vertical)
  - Size 6"
  - Motor Power 3.0 HP
  - Free Speed 6,000 RPM
  - Air Cons. 20 CFM
  - Sound 86 dB (a)
  - Vibration 2.5 m/sec<sup>2</sup>
  - Length (mm) 324
  - Weight (kg.) 4.1
- Air Inlet 1/2" NPT  
Spindle Size 5/8" - 11



+ 44 (1) 494 883300  
sales@ut-tools.com



**UNIVERSAL  
AIR TOOLS**

UNIVERSAL AIR TOOL CO., LTD  
UNIT 8, LANE END INDUSTRIAL PARK  
HIGH WYCOMBE, HP14 3BY  
UNITED KINGDOM

# > UT5710B

Rear Exhaust Die Grinder c/w 6mm Collet

- **Type Straight**
- **Size 6mm**
- **Motor Power 0.30 HP**
- **Free Speed 25000 RPM**
- **Air Cons 3 CFM**
- **Sound 86 dB (a)**
- **Vibration 2.5 m/sec<sup>2</sup>**
- **Length 148.5 mm**
- **Weight 0.38 kg**
- **Air Inlet 1/4" BSP**



+ 44 (1) 494 883300  
sales@ut-tools.com



**UNIVERSAL  
AIR TOOLS**

UNIVERSAL AIR TOOL CO., LTD  
UNIT 8, LANE END INDUSTRIAL PARK  
HIGH WYCOMBE, HP14 3BY  
UNITED KINGDOM



# > UT5715

90 Degree Grinder c/w 6mm Collet

- Type Angel
  - Collet Size 6mm
  - Motor Power 0.5 HP
  - Free Speed 22,000 RPM
  - Av Air Cons. 4 CFM
  - Vibration Level < 2.5 m/sec<sup>2</sup>
  - Sound Pressure 86.0 dB(a)
  - Length 140 mm
  - Weight 0.50 kg
- Air Inlet 1/4 bsp



+ 44 (1) 494 883300  
sales@ut-tools.com



**UNIVERSAL  
AIR TOOLS**

UNIVERSAL AIR TOOL CO., LTD  
UNIT 8, LANE END INDUSTRIAL PARK  
HIGH WYCOMBE, HP14 3BY  
UNITED KINGDOM

# **UT5720B**

Rear Exhaust Die Grinder c/w 6mm Collet

- **Type Straight**
- **Size 6mm**
- **Motor Power 0.50 HP**
- **Free Speed 15000 RPM**
- **Air Cons 3.5 CFM**
- **Sound 78.4 dB (a)**
- **Vibration 1.5 m/sec<sup>2</sup>**
- **Length 178 mm**
- **Weight 0.6 kg**
- **Air Inlet 1/4" BSP**



+ 44 (1) 494 883300  
sales@ut-tools.com



**UNIVERSAL  
AIR TOOLS**

UNIVERSAL AIR TOOL CO., LTD  
UNIT 8, LANE END INDUSTRIAL PARK  
HIGH WYCOMBE, HP14 3BY  
UNITED KINGDOM

# UT5721

Die Grinder c/w 6mm Collet

- Type Straight
  - Collet size 6mm
  - Motor Power 0.5 HP
  - Free Speed 20,000 RPM
  - Av Air Con 4 cfm
  - Sound Level 93 dB(a)
  - Vibration Level 3m/sec<sup>2</sup>
  - Length 170 mm
  - Weight 0.6 kg
- Air Inlet 1/4 bsp



+ 44 (1) 494 883300  
sales@ut-tools.com



**UNIVERSAL  
AIR TOOLS**

UNIVERSAL AIR TOOL CO., LTD  
UNIT 8, LANE END INDUSTRIAL PARK  
HIGH WYCOMBE, HP14 3BY  
UNITED KINGDOM



# > UT5735

Extended Die Grinder c/w 6mm Collet

- Type Straight
- Collet Size 6mm
- Motor Power 0.5 HP
- Free Speed 25,000 RPM
- Av Air Con 4 CFM
- Sound Pressure 86.0 dB (a)
- Vibration Level <math><2.5 \text{ m/sec}^2</math>
- Length 230 mm
- Weight 0.66 kg
- Air Inlet 1/4 BSP



+ 44 (1) 494 883300  
sales@ut-tools.com



**UNIVERSAL  
AIR TOOLS**

UNIVERSAL AIR TOOL CO., LTD  
UNIT 8, LANE END INDUSTRIAL PARK  
HIGH WYCOMBE, HP14 3BY  
UNITED KINGDOM



# > UT8768-4V-60-6

6' HD Vertical Grinder 4HP

- Type Straight (Vertical)
  - Size 6"
  - Motor 4.0 HP
  - Free Speed 6,000 RPM
  - Air Cons. 24 CFM
  - Sound 86 dB (a)
  - Vibration <math><2.6 \text{ m/sec}^2</math>
  - Length (mm) 324
  - Weight (kg.) 4.8
- Air Inlet 1/2" NPT  
Spindle Size 5/8" - 11



+ 44 (1) 494 883300  
sales@ut-tools.com



**UNIVERSAL  
AIR TOOLS**

UNIVERSAL AIR TOOL CO., LTD  
UNIT 8, LANE END INDUSTRIAL PARK  
HIGH WYCOMBE, HP14 3BY  
UNITED KINGDOM



# > UT200H-60-6

6" Horizontal Grinder

- **Type Angle**
- **Collet Size 1/8"**
- **Motor Power 2.0 HP**
- **Free Speed 6,000 RPM**
- **Air Cons. 10 CFM**
- **Sound 86 dB(a)**
- **Vibration 1.9 m/Sec<sup>2</sup>**
- **Length 495 (mm)**
- **Weight 6.1 kg**
- **Air inlet 1/4" NPT Max.**
- **Wheel Dia. 6"**



+ 44 (1) 494 883300  
sales@ut-tools.com



**UNIVERSAL  
AIR TOOLS**

UNIVERSAL AIR TOOL CO., LTD  
UNIT 8, LANE END INDUSTRIAL PARK  
HIGH WYCOMBE, HP14 3BY  
UNITED KINGDOM





# > UT8766

7" Angle Grinder 1.7HP

- Type Angle
- Size 7"
- Motor Power 1.70 HP
- Free Speed 7500 RPM
- Air Cons 7 CFM
- Sound 84 dB (a)
- Vibration 2.5 m/sec
- Length 318 mm
- Weight 3.1 kg
- Air Inlet 3/8" BSP



+ 44 (1) 494 883300  
sales@ut-tools.com



**UNIVERSAL  
AIR TOOLS**

UNIVERSAL AIR TOOL CO., LTD  
UNIT 8, LANE END INDUSTRIAL PARK  
HIGH WYCOMBE, HP14 3BY  
UNITED KINGDOM



# > UT8766-25

7" Angle Grinder 2.5 HP

- **Type Angle**
- **Size 7"**
- **Motor Power 2.50 HP**
- **Free Speed 7000 RPM**
- **Air Cons 10 CFM**
- **Sound 84 dB (a)**
- **Vibration 2.5 m/sec<sup>2</sup>**
- **Length 327 mm**
- **Weight 3.5 kg**
- **Air Inlet 3/8" NPT**
- **Max Wheel Dia 7"**



+ 44 (1) 494 883300  
sales@ut-tools.com



**UNIVERSAL  
AIR TOOLS**

UNIVERSAL AIR TOOL CO., LTD  
UNIT 8, LANE END INDUSTRIAL PARK  
HIGH WYCOMBE, HP14 3BY  
UNITED KINGDOM

**FEATURES**

- High HP Motor for added stall resistance
- Safety lock-off throttle
- One piece housing reduces maintenance costs
- Heavy duty air cooled spiral gears and double bearings for added durability
- Ergonomic composite grip for comfort and reduced vibration
- Dual exhaust silencing for added noise control
- Left or right hand assist handle positions
- Best for: Continuous use extra heavy duty surface preparation and material removal

**SPECIFICATIONS**

Motor (HP)	2.5
Motor (kW)	1.84
Max. Wheel Dia. (in)	7" Type 27
Guard Type	Type 27
Speed (RPM)	8,500
Exhaust	Side
Spindle Size	5/8" - 11
Weight (lbs.)	7.7
Weight (kg.)	3.5
Length (in.)	12.9
Length (mm)	327
Air Inlet (NPT)	3/8
Rec. Hose (I.D. in.)	1/2
Air Cons. (cfm)	40
Avg. Air Cons (cfm)	10
Rec. Pressure	90 psi-6.2 bar



## Air Tools for Industry







# > UT8768-3V-60-7

7" HD Vertical Grinder 3HP

- **Type Straight (Vertical)**
- **Size 7"**
- **Motor Power 3.0 HP**
- **Free Speed 6000 RPM**
- **Air Cons 20 CFM**
- **Sound 86 dB (a)**
- **Vibration 2.5 m/sec<sup>2</sup>**
- **Length 305 mm**
- **Weight 3.85 kg**
- **Air Inlet 1/2" NPT**
- **Spindle Size 5/8" - 11**



+ 44 (1) 494 883300  
sales@ut-tools.com



**UNIVERSAL  
AIR TOOLS**

UNIVERSAL AIR TOOL CO., LTD  
UNIT 8, LANE END INDUSTRIAL PARK  
HIGH WYCOMBE, HP14 3BY  
UNITED KINGDOM

# > UT8768-4V-60-7

7" HD Vertical Grinder 4HP

- Type Straight (Vertical)
  - Size 7"
  - Motor 4.0 HP
  - Free Speed 6,000 RPM
  - Air Cons. 24 CFM
  - Sound 86 dB (a)
  - Vibration <math><2.6 \text{ m/sec}^2</math>
  - Length 305 mm
  - Weight (kg.) 4.8
- Air nlet 1/2" NPT  
Spindle Size 5/8" - 11



+ 44 (1) 494 883300  
sales@ut-tools.com



**UNIVERSAL  
AIR TOOLS**

UNIVERSAL AIR TOOL CO., LTD  
UNIT 8, LANE END INDUSTRIAL PARK  
HIGH WYCOMBE, HP14 3BY  
UNITED KINGDOM

# > UT8841-DG

Die Grinder c/w 6mm Collet

- Type Straight
- Collet Size 6mm
- Motor Power 0.5 HP
- Speed 3,600 rpm
- Av Air Con 3.7 cfm
- Sound Pressure 86.0 db(a)
- Vibration Level 3.6 m/sec<sup>2</sup>
- Length 273 mm
- Weight 0.8 kg
- Air Inlet 1/4 bsp



+ 44 (1) 494 883300  
sales@ut-tools.com



**UNIVERSAL  
AIR TOOLS**

UNIVERSAL AIR TOOL CO., LTD  
UNIT 8, LANE END INDUSTRIAL PARK  
HIGH WYCOMBE, HP14 3BY  
UNITED KINGDOM





# > UT8766-259

9" Angle Grinder 2.5 HP

- Type Angle
- Size 9"
- Motor Power 2.50 HP
- Free Speed 6000 RPM
- Air Cons 10 CFM
- Sound 84 dB (a)
- Vibration 2.5 m/sec<sup>2</sup>
- Length 327 mm
- Weight 3.6 kg
- Air Inlet 3/8" NPT
- Max Wheel Dia 9"



+ 44 (1) 494 883300  
sales@ut-tools.com



**UNIVERSAL  
AIR TOOLS**

UNIVERSAL AIR TOOL CO., LTD  
UNIT 8, LANE END INDUSTRIAL PARK  
HIGH WYCOMBE, HP14 3BY  
UNITED KINGDOM

# > UT8768-3V-60-9

9" HD Vertical Grinder 3HP

- Type Straight (Vertical)
- Size 9"
- Motor Power 3.0 HP
- Free Speed 6000 RPM
- Air Cons 20 CFM
- Sound 86 dB (a)
- Vibration 2.5 m/sec<sup>2</sup>
- Length 330 mm
- Weight 4.1 kg
- Air Inlet 1/2" NPT
- Spindle Size 5/8"-11



+ 44 (1) 494 883300  
sales@ut-tools.com



**UNIVERSAL  
AIR TOOLS**

UNIVERSAL AIR TOOL CO., LTD  
UNIT 8, LANE END INDUSTRIAL PARK  
HIGH WYCOMBE, HP14 3BY  
UNITED KINGDOM

# **UT919C**

9" Vertical Grinder

- Type Straight (Vertical)
- Size 9"
- Motor Power 6 HP
- Free Speed 6,000 RPM
- Av Air Con 14 CFM
- Sound Pressure 89.7 dB (a)
- Vibration Level 4.9 m/sec<sup>2</sup>
- Length 300 mm
- Weight 5.8 kg
- Air Inlet 1/2 BSP



+ 44 (1) 494 883300  
sales@ut-tools.com



**UNIVERSAL  
AIR TOOLS**

UNIVERSAL AIR TOOL CO., LTD  
UNIT 8, LANE END INDUSTRIAL PARK  
HIGH WYCOMBE, HP14 3BY  
UNITED KINGDOM



# **UT8768-4V-60-9**

9' HD Vertical Grinder 4HP

- **Type Straight (Vertical)**
  - **Size 9"**
  - **Motor 4.0 HP**
  - **Free Speed 6,000 RPM**
  - **Air Cons. 24 CFM**
  - **Sound 86 dB (a)**
  - **Vibration 2.5 m/sec<sup>2</sup>**
  - **Length 330 mm**
  - **Weight 5 kg**
- Air Inlet 1/2" BSP**  
**Spindle Size 5/8" - 11**



**+ 44 (1) 494 883300**  
**sales@ut-tools.com**



**UNIVERSAL  
AIR TOOLS**

UNIVERSAL AIR TOOL CO., LTD  
UNIT 8, LANE END INDUSTRIAL PARK  
HIGH WYCOMBE, HP14 3BY  
UNITED KINGDOM