

GRINDERS & CUT OFF TOOLS

The AIRCAT® line of angle grinders and cutting tools combines innovative design with user comfort, featuring our patented internal silencing technology for a quieter work experience. The ergonomically crafted AIRCAT® trigger ensures light, practical operation, setting a new standard in ease of use. Designed for precision, these tools offer low operational deviation and enhanced durability, delivering consistent, reliable performance that lasts.



WHICH GEAR TYPE TO CHOOSE FOR YOUR GRINDER?

- **DIRECT GEAR:** Ideal for economical and lightweight grinders, prioritizing simplicity and efficiency for less demanding tasks.
- **BEVEL GEAR:** The best choice for versatile applications, such as angle grinders, offering a balance of durability and ergonomics for a variety of tasks.
- **SPIRAL BEVEL GEAR:** Perfect for heavy-duty industrial applications, delivering high performance, increased torque, and smooth operation.



GRINDERS & CUT OFF TOOLS



6200

COMPOSITE STRAIGHT MINI DIE GRINDER

| SPEED (RPM) | MOTOR (HP) | COLLET SIZE (MM) | GEARS | EXHAUST | WEIGHT (KG) | LENGTH (MM) | LEVEL VIBRATION (SEC2) | AIR CONS. (CFM) | REC. HOSE SIZE (IN.) |
|-------------|------------|------------------|--------------|---------|-------------|-------------|------------------------|-----------------|----------------------|
| 20.000 | 0.40 | 6 | DIRECT DRIVE | REAR | 0.40 | 165 | 2.9 | 4 | 3/8" |

- COLLET OPTION: 1/8", 1/4", 3MM & 8MM
- FEATHER TRIGGER FOR BETTER SPEED CONTROL
- ERGONOMICALLY DESIGNED HOUSING



TUNE-UP KIT CONTAINS SPARES NO.: 7, 9, 12, 13, 14, 15, 16, 19, 27, 32



6201

COMPOSITE STRAIGHT MINI DIE GRINDER

| SPEED (RPM) | MOTOR (HP) | COLLET SIZE (MM) | GEARS | EXHAUST | WEIGHT (KG) | LENGTH (MM) | LEVEL VIBRATION (SEC2) | AIR CONS. (CFM) | REC. HOSE SIZE (IN.) |
|-------------|------------|------------------|--------------|---------|-------------|-------------|------------------------|-----------------|----------------------|
| 20.000 | 0.50 | 6 | DIRECT DRIVE | REAR | 0.49 | 215 | 3.1 | 6 | 3/8" |

- COLLET OPTION: 1/8", 1/4", 3MM & 8MM
- PATENTED QUIET TUNED EXHAUST (82 DBA)
- SUPERIOR STEEL GRADE INTERNAL BEARINGS FOR LONGER LIFE



TUNE-UP KIT CONTAINS SPARES NO.: 7, 8, 11, 12, 15, 16, 19, 20, 29, 32



6205

1/4" MINI DIE GRINDER

| SPEED (RPM) | MOTOR (HP) | COLLET SIZE (MM) | GEARS | EXHAUST | WEIGHT (KG) | LENGTH (MM) | LEVEL VIBRATION (SEC2) | AIR CONS. (CFM) | REC. HOSE SIZE (IN.) |
|-------------|------------|------------------|--------------|---------|-------------|-------------|------------------------|-----------------|----------------------|
| 25.000 | 0.3 | 6 | DIRECT DRIVE | REAR | 0.75 | 121 | 0.5 | 4 | 3/8" |

- COLLET OPTION: 1/8", 1/4", 3MM & 8MM
- SUPERIOR STEEL GRADE INTERNAL BEARINGS FOR LONGER LIFE
- SUPER COMPACT DESIGN FOR TIGHT SPACES



TUNE-UP KIT CONTAINS SPARES NO.: 6,8,10,12,16,24



NEW



6210

COMPOSITE STRAIGHT DIE GRINDER EXTENDED SHANK

| SPEED (RPM) | MOTOR (HP) | COLLET SIZE (MM) | GEARS | EXHAUST | WEIGHT (KG) | LENGTH (MM) | LEVEL VIBRATION (SEC2) | AIR CONS. (CFM) | REC. HOSE SIZE (IN.) |
|-------------|------------|------------------|--------------|---------|-------------|-------------|------------------------|-----------------|----------------------|
| 20.000 | 0.50 | 6 | DIRECT DRIVE | REAR | 1.13 | 342 | 3.1 | 6 | 3/8" |

- COLLET OPTION: 1/8", 1/4", 3MM & 8MM
- FEATHER TRIGGER FOR BETTER SPEED CONTROL
- EXTENDED HEAD TO REACH IN TIGHT SPOTS



TUNE-UP KIT CONTAINS SPARES NO.: 24,28,31,35,36



NEW



6225

0.5 HP STRAIGHT DIE GRINDER

| SPEED (RPM) | MOTOR (HP) | WHEEL SIZE (MM) | GEARS | EXHAUST | WEIGHT (KG) | LENGTH (MM) | LEVEL VIBRATION (SEC2) | AIR CONS. (CFM) | REC. HOSE SIZE (IN.) |
|-------------|------------|-----------------|--------------|---------|-------------|-------------|------------------------|-----------------|----------------------|
| 22.000 | 0.5 | 6 | DIRECT DRIVE | REAR | 0.6 | 177 | 0.5 | 3.5 | 3/8" |

- COLLET OPTION: 1/8", 1/4", 3MM & 8MM
- HIGH QUALITY 3-PIECE PRECISION COLLET
- BUILT-IN SILENCING REDUCES NOISE LEVELS



TUNE-UP KIT CONTAINS SPARES NO.: 6,10,12,17





NEW

6245

0.5 HP ANGLE DIE GRINDER

| SPEED (RPM) | MOTOR (HP) | WHEEL SIZE (MM) | GEARS | EXHAUST | WEIGHT (KG) | LENGTH (MM) | LEVEL VIBRATION (SEC2) | AIR CONS. (CFM) | REC. HOSE SIZE (IN.) |
|-------------|------------|-----------------|--------------|---------|-------------|-------------|------------------------|-----------------|----------------------|
| 20,000 | 0.5 | 6 | SPIRAL BEVEL | REAR | 0.45 | 177 | 0.6 | 3.5 | 3/8" |

- **COLLET OPTION: 1/8", 1/4", 3MM & 8MM**
- BUILT-IN SILENCING REDUCES NOISE LEVELS
- PRECISION BEARING REDUCES VIBRATION AND SPINDLE RUN OUT



NEW

6250

1/4" MINI ANGLE DIE GRINDER

| SPEED (RPM) | MOTOR (HP) | WHEEL SIZE (MM) | GEARS | EXHAUST | WEIGHT (KG) | LENGTH (MM) | LEVEL VIBRATION (SEC2) | AIR CONS. (CFM) | REC. HOSE SIZE (IN.) |
|-------------|------------|-----------------|--------------|---------|-------------|-------------|------------------------|-----------------|----------------------|
| 18,000 | 0.3 | 6 | SPIRAL LEVEL | REAR | 0.45 | 127 | 2.5 | 4 | 3/8" |

- **COLLET OPTION: 1/8", 1/4", 3MM & 8MM**
- TOOL WILL ALSO ACCOMMODATE 2" ROL-LOC SANDING PAD
- SUPERIOR STEEL GRADE INTERNAL BEARINGS FOR LONGER LIFE



6255

COMPOSITE ANGLE DIE GRINDER

| SPEED (RPM) | MOTOR (HP) | COLLET SIZE (MM) | GEARS | EXHAUST | WEIGHT (KG) | LENGTH (MM) | LEVEL VIBRATION (SEC2) | AIR CONS. (CFM) | REC. HOSE SIZE (IN.) |
|-------------|------------|------------------|--------------|---------|-------------|-------------|------------------------|-----------------|----------------------|
| 20,000 | 0.40 | 6 | SPIRAL LEVEL | REAR | 0.49 | 177 | 2.5 | 4.2 | 3/8" |

- **COLLET OPTION: 1/8", 1/4", 3MM & 8MM**
- MOST COMFORTABLE TRIGGER IN THE INDUSTRY
- EXCELLENT FOR HIGH SPEED BLENDING, SMOOTHING, PORTING AND DEBURRING IN CONFINED AREAS



6260

COMPOSITE 1.0 HP STRAIGHT DIE GRINDER

| SPEED (RPM) | MOTOR (HP) | COLLET SIZE (MM) | GEARS | EXHAUST | WEIGHT (KG) | LENGTH (MM) | LEVEL VIBRATION (SEC2) | AIR CONS. (CFM) | REC. HOSE SIZE (IN.) |
|-------------|------------|------------------|--------------|---------|-------------|-------------|------------------------|-----------------|----------------------|
| 20,000 | 1.0 | 6 | DIRECT DRIVE | REAR | 0.54 | 235 | 2.3 | 6 | 3/8" |

- **COLLET OPTION: 1/8", 1/4", 3MM & 8MM**
- SUPERIOR STEEL GRADE INTERNAL BEARINGS FOR LONGER LIFE
- FEATHER TRIGGER FOR BETTER SPEED CONTROL



6265

6MM ANGLED 1.0 HP COMPOSITE DIE GRINDER

| SPEED (RPM) | MOTOR (HP) | COLLET SIZE (MM) | GEARS | EXHAUST | WEIGHT (KG) | LENGTH (MM) | LEVEL VIBRATION (SEC2) | AIR CONS. (CFM) | REC. HOSE SIZE (IN.) |
|-------------|------------|------------------|--------------|---------|-------------|-------------|------------------------|-----------------|----------------------|
| 20,000 | 1.0 | 6 | SPIRAL BEVEL | REAR | 0.54 | 235 | 2.9 | 6 | 3/8" |

- **COLLET OPTION: 1/8", 1/4", 3MM & 8MM**
- INCLUDES 1 PC EACH 2 & 3" ROLOC® STYLE BACKING PADS
- PRECISION BEVEL GEARS FOR RELIABILITY



TUNE-UP KIT CONTAINS SPARES NO.: 7, 8, 12, 16, 21, 25, 26, 29, 35

GRINDERS & CUT OFF TOOLS



6270

6MM EXTENDED STRAIGHT 1 HP COMPOSITE DIE GRINDER

| SPEED (RPM) | MOTOR (HP) | COLLET SIZE (MM) | GEARS | EXHAUST | WEIGHT (KG) | LENGTH (MM) | LEVEL VIBRATION (SEC2) | AIR CONS. (CFM) | REC. HOSE SIZE (IN.) |
|-------------|------------|------------------|--------------|---------|-------------|-------------|------------------------|-----------------|----------------------|
| 20,000 | 1.0 | 6 | DIRECT DRIVE | REAR | 1.4 | 359 | 2.5 | 4.2 | 3/8" |

- COLLET OPTION: 1/8", 1/4", 3MM & 8MM
- LIMITED SPACE APPLICATIONS
- PATENTED SILENCING TECHNOLOGY REDUCES NOISE TO (80 DBA)



TUNE-UP KIT CONTAINS SPARES NO.: 11, 20, 24, 33, 35, 36, 41



6275-IND

4" | COMPOSITE INSIDE CUT-OFF TOOL

| SPEED (RPM) | MOTOR (HP) | WHEEL SIZE (IN.) | COLLET / SPINDLE SIZE (MM) | EXHAUST | WEIGHT (KG) | LENGTH (MM) | LEVEL VIBRATION (SEC2) | AIR CONS. (CFM) | REC. HOSE SIZE (IN.) |
|-------------|------------|------------------|--|---------|-------------|-------------|------------------------|-----------------|----------------------|
| 14,000 | 1.0 | 3" | CUTTING CAPACITY 3/4 ROLLED STEEL / 18 GAUGE | REAR | 1.7 | 393 | 3.8 | 6 | 3/8" |

- SAFETY LOCK-OFF- THROTTLE
- ONE-PIECE HOUSING REDUCES MAINTENANCE COSTS
- LEFT OR RIGHT-HAND ASSIST HANDLE POSITIONS



TUNE-UP KIT CONTAINS SPARES NO.: 6, 8, 9, 11, 16, 50, 53, 60



6280

0.75 HP ANGLE DIE GRINDER WITH SPINDLE LOCK

| SPEED (RPM) | MOTOR (HP) | COLLET SIZE (MM) | GEARS | EXHAUST | WEIGHT (KG) | LENGTH (MM) | LEVEL VIBRATION (SEC2) | AIR CONS. (CFM) | REC. HOSE SIZE (IN.) |
|-------------|------------|------------------|-------------|---------|-------------|-------------|------------------------|-----------------|----------------------|
| 18,000 | 0.75 | 6 | BEVEL GEARS | REAR | 0.82 | 177 | 2.5 | 4.1 | 3/8" |

- COLLET OPTION: 1/8", 1/4", 3MM & 8MM
- SPINDLE LOCK FEATURE FOR EASY ACCESSORY CHANGE
- ERICKSON® STYLE PRECISION COLLET



TUNE-UP KIT CONTAINS SPARES NO.: 2, 3, 10, 11, 17, 20, 26, 32



6281

0.75 HP ANGLE DISC SANDER WITH SPINDLE LOCK

| SPEED (RPM) | MOTOR (HP) | COLLET SIZE / WHEEL SIZE (IN.) | GEARS | EXHAUST | WEIGHT (KG) | LENGTH (MM) | LEVEL VIBRATION (SEC2) | AIR CONS. (CFM) | REC. HOSE SIZE (IN.) |
|-------------|------------|--------------------------------|-------------|---------|-------------|-------------|------------------------|-----------------|----------------------|
| 18,000 | 0.75 | 1/4" x 20" | BEVEL GEARS | REAR | 0.86 | 190 | 2.5 | 4.1 | 3/8" |

- SPEED CONTROL SWITCH ON TOP FOR BETTER CONTROL
- LOW NOISE ONLY (79 DBA)
- BUILT-IN 1/4" SPINDLE REDUCES TOOL HEIGHT



TUNE-UP KIT CONTAINS SPARES NO.: 11,12,14,19



6285

0.75 HP STRAIGHT DIE GRINDER WITH SPINDLE LOCK

| SPEED (RPM) | MOTOR (HP) | COLLET SIZE (MM) | GEARS | EXHAUST | WEIGHT (KG) | LENGTH (MM) | LEVEL VIBRATION (SEC2) | AIR CONS. (CFM) | REC. HOSE SIZE (IN.) |
|-------------|------------|------------------|--------------|---------|-------------|-------------|------------------------|-----------------|----------------------|
| 23,000 | 0.75 | 6 | DIRECT DRIVE | REAR | 0.64 | 177 | 2.5 | 4 | 3/8" |

- COLLET OPTION: 1/8", 1/4", 3MM & 8MM
- ERICKSON® STYLE PRECISION COLLET
- OVER-MOLD COMPOSITE HANDLE AND GRIP FOR COMFORT



TUNE-UP KIT CONTAINS SPARES NO.: 2, 3, 5, 10, 11, 12, 18, 20, 26

WHEN YOU HAVE REAL WORK TO DO...
GRAB AN AIRCAT.



6290

0 .75 HP REVERSIBLE STRAIGHT DIE GRINDER

| SPEED (RPM) | MOTOR (HP) | COLLET SIZE (MM) | GEARS | EXHAUST | WEIGHT (KG) | LENGTH (MM) | LEVEL VIBRATION (SEC2) | AIR CONS. (CFM) | REC. HOSE SIZE (IN.) |
|-------------|------------|------------------|--------------|---------|-------------|-------------|------------------------|-----------------|----------------------|
| 20,000 | 0.75 | 6 | DIRECT DRIVE | REAR | 0.64 | 177 | 2.5 | 4 | 3/8" |

- COLLET OPTION: 1/8", 1/4", 3MM & 8MM
- OVER-MOLD COMPOSITE HANDLE AND GRIP FOR COMFORT
- FORWARD/REVERSE SWITCH ON TOP FOR EASY DIRECTION CHANGES



TUNE-UP KIT CONTAINS SPARES NO.: 4, 13, 18, 20, 22, 28, 37



6295

115" ANGLE DIE GRINDER

| SPEED (RPM) | MOTOR (HP) | COLLET SIZE (MM) | GEARS | EXHAUST | WEIGHT (KG) | LENGTH (MM) | LEVEL VIBRATION (SEC2) | AIR CONS. (CFM) | REC. HOSE SIZE (IN.) |
|-------------|------------|------------------|-------------|---------|-------------|-------------|------------------------|-----------------|----------------------|
| 18,000 | 0.6 | 6 | BEVEL GEARS | REAR | 0.73 | 203 | 4.5 | 6 | 3/8" |

- COLLET OPTION: 1/8", 1/4", 3MM & 8MM
- ERGONOMIC COMPOSITE OVER MOLD GRIP PROVIDES COMFORT
- SPINDLE LOCK FEATURE FOR EASY ACCESSORY CHANGE



TUNE-UP KIT CONTAINS SPARES NO.: 2, 10, 11, 12, 17, 23



6340

4-1/2" | ANGLED COMPOSITE GRINDER

| SPEED (RPM) | MOTOR (HP) | WHEEL SIZE (IN.) | GEARS | EXHAUST | WEIGHT (KG) | LENGTH (MM) | LEVEL VIBRATION (SEC2) | AIR CONS. (CFM) | REC. HOSE SIZE (IN.) |
|-------------|------------|------------------|--------------|---------|-------------|-------------|------------------------|-----------------|----------------------|
| 11,000 | 1.0 | 3" | SPIRAL BEVEL | REAR | 1.02 | 222 | 1.2 | 6 | 3/8" |

- SPINDLE LOCK FOR EASY WHEEL CHANGE
- 360° ROTATIONAL EXHAUST
- MULTI POSITIONAL ROTATIONAL GUARD IMPROVES ACCESS



TUNE-UP KIT CONTAINS SPARES NO.: 2, 11, 20, 26, 42



6345

0.6" | DECAL/PINSTRIPE REMOVAL TOOL

| SPEED (RPM) | MOTOR (HP) | SPINDLE THREAD SIZE (IN.) | EXHAUST | WEIGHT (KG) | LENGTH (MM) | LEVEL VIBRATION (SEC2) | AIR CONS. (CFM) | NOISE LEVEL (dB(A)) | REC. HOSE SIZE (IN.) |
|-------------|------------|---------------------------|---------|-------------|-------------|------------------------|-----------------|---------------------|----------------------|
| 2,600 | 0.6 | 5/16 x 24" | REAR | 0.98 | 218 | 0.7 | 4 | 80 | 3/8" |

- NEW GENERATION TOOLS
- SPINDLE LOCK FEATURE FOR EASY ACCESSORY CHANGE
- ROTATIONAL REAR EXHAUST



TUNE-UP KIT CONTAINS SPARES NO.: 1,2,10,12,17



6380

2.3 HP 5" HEAVY DUTY ANGLE GRINDER

| SPEED (RPM) | MOTOR (HP) | WHEEL SIZE (IN.) | GEARS | EXHAUST | WEIGHT (KG) | LENGTH (MM) | LEVEL VIBRATION (SEC2) | AIR CONS. (CFM) | REC. HOSE SIZE (IN.) |
|-------------|------------|------------------|--------------|---------|-------------|-------------|------------------------|-----------------|----------------------|
| 12,000 | 2.3 | 5" | SPIRAL BEVEL | REAR | 1.80 | 232 | 5.2 | 10 | 3/8" |

- SPINDLE LOCK FOR EASY WHEEL CHANGE
- ERGONOMICALLY DESIGNED COMPOSITE GRIP
- VIBRATION-DAMPED HANDLE AND TRIGGER FOR COMFORT



TUNE-UP KIT CONTAINS SPARES NO.: 3,12,14,19

NEW

WHEN YOU HAVE REAL WORK TO DO...
GRAB AN **AIRCAT**.

GRINDERS & CUT OFF TOOLS



6515

0.5 | HP 3" CUT-OFF TOOL

| SPEED (RPM) | MOTOR (HP) | WHEEL SIZE (IN) | GEARS | EXHAUST | WEIGHT (KG) | LENGTH (MM) | LEVEL VIBRATION (SEC2) | AIR CONS. (CFM) | REC. HOSE SIZE (IN.) |
|-------------|------------|-----------------|--------------|---------|-------------|-------------|------------------------|-----------------|----------------------|
| 22,000 | 0.5 | 3" | DIRECT DRIVE | REAR | 0.82 | 193 | 0.8 | 3.5 | 3/8" |

- CUT CAPACITY:
- STEEL (US STANDARD): \approx 1.214 MM
- STAINLESS STEEL: \approx 1.27 MM
- ALUMINUM: \approx 1.024 MM



TUNE-UP KIT CONTAINS SPARES NO.:
6,10,12,17



6520

3/8" | COMPOSITE REVERSIBLE CUT-OFF TOOL

| SPEED (RPM) | MOTOR (HP) | WHEEL SIZE (IN) | GEARS | CUTTING CAPACITY | WEIGHT (KG) | LENGTH (MM) | LEVEL VIBRATION (SEC2) | AIR CONS. (CFM) | REC. HOSE SIZE (IN.) |
|-------------|------------|-----------------|------------------|------------------------------|-------------|-------------|------------------------|-----------------|----------------------|
| 18,000 | 0.50 | 3" | SINGLE REDUCTION | 3/4" ROLLED STEEL / 18 GAUGE | 0.82 | 241 | 1.8 | 6 | 3/8" |

- STEEL (US STANDARD): 18 GAUGE \approx 1.214 MM
- STAINLESS STEEL: 18 GAUGE \approx 1.27 MM
- ALUMINUM: 18 GAUGE \approx 1.024 MM



TUNE-UP KIT CONTAINS SPARES NO.:
2, 3, 13, 19, 22, 38, 45

UNMATCHED POWER AND PRECISION: AIRCAT® GRINDERS AND CUT-OFF TOOLS

Aircat® grinders and cut-off tools combine impressive power with innovative design, providing a superior work experience. Featuring patented internal silencing technology, these tools create a quieter environment without compromising performance, reducing noise impact during use. The ergonomically crafted Aircat® trigger ensures light, easy operation, enabling professionals to work for extended periods without fatigue.

POV





6530

FLEX HEAD CUT OFF TOOL

| SPEED (RPM) | MOTOR (HP) | WHEEL SIZE (IN) | GEARS | CUTTING CAPACITY | WEIGHT (KG) | LENGTH (MM) | LEVEL VIBRATION (SEC2) | AIR CONS. (CFM) | REC. HOSE SIZE (IN.) |
|-------------|------------|-----------------|--------------|------------------------------|-------------|-------------|------------------------|-----------------|----------------------|
| 18,000 | 0.5 | 3" | DIRECT DRIVE | 3/4" ROLLED STEEL / 18 GAUGE | 1.18 | 223 | 1.9 | 6 | 3/8" |



- 3-POSITION FLEXIBLE HEAD
- STEEL (US STANDARD): 18 GAUGE \approx 1.214 MM
- STAINLESS STEEL: 18 GAUGE \approx 1.27 MM
- ALUMINUM: 18 GAUGE \approx 1.024 MM



TUNE-UP KIT CONTAINS SPARES NO.:
7, 10, 14, 20, 26, 28, 33, 35, 37



6560

4" 1HP COMPOSITE CUT OFF TOOL

| SPEED (RPM) | MOTOR (HP) | WHEEL SIZE (IN) | GEARS | CUTTING CAPACITY | WEIGHT (KG) | LENGTH (MM) | LEVEL VIBRATION (SEC2) | AIR CONS. (CFM) | REC. HOSE SIZE (IN.) |
|-------------|------------|-----------------|------------------|------------------------------|-------------|-------------|------------------------|-----------------|----------------------|
| 14,000 | 1.0 | 4" | SINGLE REDUCTION | 3/4" ROLLED STEEL / 18 GAUGE | 0.8 | 241 | 1.8 | 4.2 | 3/8" |

- STEEL (US STANDARD): 18 GAUGE \approx 1.214 MM
- STAINLESS STEEL: 18 GAUGE \approx 1.27 MM
- ALUMINUM: 18 GAUGE \approx 1.024 MM



TUNE-UP KIT CONTAINS SPARES NO.:
7, 10, 14, 19, 25, 26, 28, 37

VER



Precision is at the heart of every Aircat® tool, setting a new standard for quality. With low operational deviation and enhanced durability, they deliver consistent, reliable performance over time. Whether for cutting, grinding, or other applications, Aircat® tools are the perfect choice for those seeking power, reliability, and comfort in every task.



WHEN YOU HAVE REAL WORK TO DO...
GRAB AN **AIRCAT**.

ACCESSORIES FOR GRINDERS & CUTTERS



BELTS

DISCS
BRISTLES

SANDING DISCS

BASE
PADSSURFACE
CONDITIONING
DISCS

BELT Sanders

| PART NUMBER | DESCRIPTION |
|-------------|-------------------------------------|
| 131403-120 | SANDING DISC 120 (1-1/4") PKT OF 10 |
| 131403-180 | SANDING DISC 180 (1-1/4") PKT OF 10 |
| 131403-320 | SANDING DISC 320 (1-1/4") PKT OF 10 |
| 13132-600 | SANDING DISC 600 (1-1/4") PKT OF 10 |

SANDING DISC (1-1/4")

| PART NUMBER | DESCRIPTION |
|------------------|--|
| 8704 +GRIT | 30 MM SANDING BELTS - GRIT SIZE 40, 50, 60, 80, 100, 120 AND 150 |
| 8764, 5764 +GRIT | 10 MM SANDING BELTS - GRIT SIZE 40, 50, 60, 80, 100, 120 AND 150 |
| 8765, 5765 +GRIT | 20 MM SANDING BELTS - GRIT SIZE 40, 50, 60, 80, 100, 120 AND 150 |
| 5765 +GRIT | 60 MM SANDING BELTS - GRIT SIZE 40, 60, 80, 100, 120 AND 150 |

STANDARD COLLET

| | |
|--------|-------------|
| CLT008 | 8 MM COLLET |
| CLT006 | 6MM COLLET |
| CLT003 | 3 MM COLLET |
| CLT018 | 1/8" COLLET |
| CLT014 | 1/4" COLLET |



ERICKSON COLLETS

| | |
|----------|-------------|
| CLTER008 | 8MM COLLET |
| CLTER006 | 6MM COLLET |
| CLTER003 | 3MM COLLET |
| CLTER014 | 1/4" COLLET |



3M ROLOC

| | |
|-------|------------------------------------|
| 20004 | ROLOC 50 GRITS BRISTLE DISC GREEN |
| 20005 | ROLOC 80 GRITS YELLOW BRISTLE DISC |
| 20006 | ROLOC 120 GRITS BRISTLE DISC WHITE |

WOOL POLISHING

| | |
|----------|--------------------------|
| 131210-1 | 2' WOOL POLISHING BERET. |
| H0067 | 7 INCH LAMBSWOOL CAP |
| H0068 | 8 INCH LAMBSWOOL CAP |



CUT-OFF DISCS

| | |
|-------------|-----------------|
| 5L-3011B39N | 4' CUTTING DISC |
| H0069N | 3' CUTTING DISC |



SISAL/SURF

| | |
|-------|-------------------------------|
| H0107 | SISAL POLISHING MOP |
| H0SCF | 2' BLUE SURF. THIN DISC COND. |

DUST COLLECTOR / HOLDER

| | |
|----------|------------------------------|
| PT201 | DUST COLLECTOR |
| 0308C025 | 2" DISC HOLDER / BACKING PAD |

SCRAPING BLADE

| | |
|-------|---------------------|
| 13122 | SCRAPING BLADE 35MM |
| 13123 | SCRAPING BLADE 45MM |

WHEN YOU HAVE REAL WORK TO DO...
GRAB AN **AIRCAT**.

31

SANDING DISC (2")

| PART NUMBER | DESCRIPTION |
|-------------|-----------------------------|
| HO-P120 | 120 GRIT SAND DISC 2" |
| HO-P24 | 24 GRIT SAND DISC 2" |
| HO-P36 | 2" SAND DISC WITH 36 GRAINS |
| HO-P60 | SAND DISC 60 GRIT 2" |
| HO-P80 | 80 GRIT 2" SAND DISC |

SANDING DISC (1-1/2")

| PART NUMBER | DESCRIPTION |
|-------------|-------------------------------------|
| 131403-120 | SANDING DISC 120 (1-1/2") PKT OF 10 |
| 131403-320 | SANDING DISC 320 (1-1/2") PKT OF 10 |
| 131403-600 | SANDING DISC 600 (1-1/2") PKT OF 10 |

