Hi-Force

www.hi-force.com

400V 50HZ/460V 60HZ, TWO STAGE, ELECTRIC DRIVEN, HIGH FLOW PUMP

SERIAL NUMBERS


FROM BQ6615

TO PROTECT YOUR WARRANTY ALWAYS USE GENUINE HI-FORCE PARTS.

PRODUCT NO. HEP310224

SHT 1 OF 2 SHTS





Hi-Force HYDRAULIC TOOLS

400V 50HZ/460V 60HZ, TWO STAGE, ELECTRIC DRIVEN, HIGH

SERIAL NUMBERS

FROM BQ6615

DESCRIPTION

60 x 30 mm UNIVERSAL NAME

PLATE

NO.4 x 3/16 HAMMER DRIVE

SCREW

160 mm LONG SUCTION PIPE

BARREL NIPPLE

FILTER

M5 x 20 mm HEX SOCKET

COUNTERSUNK SCREW

TANK GASKET

MOUNTING PLATE

M8 NYLOC NUT

HOUSING

M6 X 10 mm BUTTON HEAD HEX

SOCKET SCREW

M6 ZINC WASHER

M6 SPRING ZINC WASHER

(SQUARE SECTION)

CABLE CLIP BLACK SCREW

POLYACETAL CABLE CLIP, 15mm

12.7mm ID BLACK PVC OPEN GROMMET

12.7mm OD BLACK PVC BLIND

GROMMET
BLANKING PLATE

PRODUCT NO.
HEP310224

QTY.

1

2

1

10

1

4

8

8

4

2

1

SPARE

PARTS

X

SERVICE

PARTS

SHT 2 OF 2 SHTS

REVISION

1 5817

2 6154

3

5

7

8

9

11

12

13

14

15

16

17

18

19

20

| | | FLOW PUMP | | | | | |
|----------------|----------------|---|------|----------------|------------------|----------|--|
| ITEM NO. | PART NUMBER | DESCRIPTION | QTY. | SPARE PARTS | SERVICE PARTS | ITEM NO. | PART NUMBER |
| 1 | TAC025AS006 | 25L TANK | 1 | | | 22 | AAN000UP001 |
| 2 | BLC021YT010 | SIGHT GLASS HGF.13 BLACK OIL LEVEL INDICATOR | 2 | | | 23 | FAS002HZ001 |
| 3 | DCSF00328 | DOUBLE SIDED MAGNET | 1 | | | 24 | TAC000PA001 |
| 4 | FPC013PC001 | 1/2" BSP PLUG - HEX SOCKET | 1 | | | 25 | FPC013AC001 |
| 5 | NUC021-B000 | 1/2" BSP LOCK NUT | 2 | | | 26 | FFC045MZ001 |
| 6 | FFC028PZ001 | FILLER/BREATHER | 1 | | | 27 | BLC005HF020 |
| 7 | BPC025KP001 | 1" SQ RIBBED INSERT BLACK | 4 | | | 28 | 15482 |
| 8 | TAC025CS003 | 25L ROLL FRAME | 1 | | | 29 | TAC000FS003 |
| 9 | BLC008KD020 | M8 x 20 mm HEX SOCKET CAP HEAD SCREW | 4 | | | 30 | NUC008KC000 |
| 10 | WAC008AB000 | M8 PLAIN WASHER | 8 | | | 31 | TAC000FS004 |
| 11 WAC008BB000 | | M8 ZINC PLATED SPRING WASHER | 4 | | | 32 | BLC006JH010 |
| 12 | TYPE300-24 | 300 SERIES PUMP UNIT | 1 | | | 33 | WAC006AF000 |
| 13 | EM415-1.5-4LAF | AMPE 90L BA 4 - 1.5KW 4 POLE MOTOR | 1 | | | 34 | WAC006BC001 |
| 14 | SEC001KT003 | GASKET | 1 | | 1 | 35 | ANC015PC001 |
| 15 | BLC010LB035 | M10 x 35 mm HEX HEAD BOLT, ZINC PLATED | 4 | | | | SEC013EH001 |
| 16 | WAC010AB000 | M10 ZINC PLATED FLAT WASHER | 4 | | | - 36 | |
| 17 | WAC010BZ000 | M10 SPRING WASHER | 4 | | | 37 | SEC013EH002 |
| 18 | NUC020LS002 | GLAND 6-12MM | 1 | | | * | SFC065FA002 |
| 19 | EMA415UC001 | MOTOR STARTER ASSEMBLY | 1 | | | | NOTE: |
| 20 | PMV2 | 2 WAY, MANUALLY OPERATED PUMP MOUNTED DIRECTIONAL CONTROL VALVE | 1 | | | | - ALL PARTS (UNLESS M. - ONLY PART |
| 21 | PGP063AK001 | HEP & HAP PRESSURE GAUGE | 1 | | | | PARTS OR S |

ASSEMBLY

- ALL PARTS ARE AVAILABLE TO BE ORDERED AS SPARE PARTS (UNLESS MARKED WITH x).
- ONLY PARTS MARKED WITH ✓ARE AVAILABLE AS BOTH SPARE PARTS OR SERVICEABLE PARTS, FROM HEP-SK1 PUMP SERVICE KIT. (REFER TO HEP-SK1: PUMP SERVICE KIT EVD FOR FULL PARTS LIST)
- FOR SUB ASSEMBLIES (ITEM NO.S 12, 19, 20 & 21) REFER TO THEIR INDUVIDUAL EVD's.

IMPORTANT

WHEN ORDERING SPARES YOU MUST STATE THE FULL PART NUMBER AND THE PRODUCT SERIAL NUMBER - FROM THE LABEL TO PROTECT YOUR WARRANTY ALWAYS USE GENUINE HI-FORCE PARTS.

 $^{\uparrow}_{\Box}$

SERIAL NUMBERS

PRODUCT NO. TYPE300-24

SHT 1 OF 2 SHTS



1 5817

2 5939

3

4

5

7

9

10

12

13


15

16

18

19

20



<u>IMPORTANT</u>

WHEN ORDERING SPARES YOU MUST STATE THE FULL PART NUMBER AND THE PRODUCT SERIAL NUMBER - FROM THE LABEL TO PROTECT YOUR WARRANTY ALWAYS USE GENUINE HI-FORCE PARTS.



300 SERIES PUMP UNIT

SERIAL NUMBERS PRODUCT NO.

TYPE300-24

SHT 2 OF 2 SHTS

> 18 19

20

| ITEM NO. | PART NUMBER | DESCRIPTION | QTY. | SPARE PARTS | SERVICE PARTS |
|---------------|--|---|------|----------------|------------------|
| 1 | TAC000BA003 | COVER PLATE | 1 | | |
| 2 | PMC000UM001 | UPPER PLATE | 1 | | |
| 3 | PMC000LF001 | LOWER PLATE | 1 | | |
| 4 | 15503 | CONNECTOR PIPE | 1 | | |
| 5 | 15505 | 24mm DRIVE SHAFT | 1 | | |
| 6 | 17587 | TRANSFER BLOCK | 1 | | |
| 7 | 17588 | VALVE PLATE | 1 | | |
| 8 | BAC008\$N000 | Ø8 mm STEEL BALL GRADE 100 | 5 | | |
| 9 | BLC005HF016 | M5 x 16 mm HEX SOCKET COUNTERSUNK SCREW | 2 | | |
| 10 | BLC006JE016 | M6 x 16 mm HEX SOCKET COUNTERSUNK SCREW | 1 | | |
| 11 BLC008KF03 | | M8 x 35 mm HEX SOCKET COUNTERSUNK SCREW | 4 | | |
| 12 | 12 BLC006JC045 M6 x 45 mm HEX SOCKET CAP SCREW | | 2 | | |
| | | M6 x 25 mm HEX SOCKET CAP HEAD SCREW | 4 | | |
| 14 | BLC008KC080 | M8 x 80 mm HEX SOCKET CAP HEAD SCREW | 6 | | |
| 15 | BLC008KC060 | M8 x 60 mm HEX SOCKET CAP HEAD SCREW | 2 | | |
| 16 | BPC006RS001 | SEALING PLUG | 4 | | |
| 17 | BSC025MC001 | LOWER PLATE BEARING | 1 | | |
| 18 | BSC035NC001 | UPPER PLATE BEARING | 1 | | |
| 19 | BSC040ND001 | ECCENTRIC BEARING | 1 | | |
| 20 | FAS006GJ010 | 1/4" BSP HEX HEAD BLANKING PLUG | 1 | | |
| 21 | FAS010MA010 | M10 X 10 CUP POINT GRUB SCREW | 5 | | |
| 22 | FFC012MA001 | SUCTION FILTER | 1 | | |
| 23 | HPRV1 | HIGH PRESSURE R/VALVE | 1 | | |
| 24 | LPRV1 | LOW PRESSURE R/VALVE | 1 | | |
| 25 | SEC013BA001 | BACK-UP RING - PTFE, SOLID SPLIT | 2 | | √ |
| 26 | SEC013RA001 | O-RING - I.D. 9.25mm, C.S. 1.78mm, NITRILE 90 | 2 | | 1 |
| 27 | SEC014RF001 | O-RING - I.D. 10.82 mm, C.S. 1.78 mm, NITRILE 90 | 4 | | 1 |

| ITEM NO. | PART NUMBER | DESCRIPTION | QTY. | SPARE PARTS | SERVICE PARTS | RE | VISION |
|-------------|-------------|---|------|----------------|------------------|----|--------|
| 28 | SEC035WE001 | UPPER PLATE OIL SEAL | 1 | | | 1 | 5817 |
| 29 | STC025AA001 | EXTERNAL CIRCLIP - 25 x 1,2 mm D1400/025 | 1 | | | 2 | 5939 |
| 30 | STC040AA001 | EXTERNAL CIRCLIP - 40 x 1.75 mm D2100/0400 | 2 | | | 3 | |
| 31 | WAC006AF000 | M6 ZINC WASHER | 4 | | | 5 | |
| 32 | WAC006BC001 | M6 SPRING ZINC WASHER (SQUARE SECTION) | 2 | | | 6 | |
| 33 | WAC007HD000 | 1/4" BSP SELF CENTERING BONDED WASHER | 1 | | | 7 | |
| 34 | STC047BA001 | INTERNAL CIRCLIP - 47 x 1.75 mm D1300/0470 | 1 | | | 9 | |
| 35 | 15494-A | PISTON BLOCK ASSEMBLY | 3 | | | 10 | |
| 36 | FPC010PB001 | 3/8" BSP BLANKING PLUG | 1 | | | 11 | |
| 37 | PMA060GZ001 | GP60 GEAR PUMP ASSEMBLY | 1 | | | 12 | |
| | | | | | | 13 | |
| | | | | | | | |

NOTE:

- ALL PARTS ARE AVAILABLE TO BE ORDERED AS SPARE PARTS (UNLESS MARKED WITH X).
- ONLY PARTS MARKED WITH ✓ARE AVAILABLE AS BOTH SPARE PARTS OR SERVICEABLE PARTS FROM **HEP-SK1 PUMP SERVICE KIT.** (REFER TO HEP-SK1: PUMP SERVICE KIT EVD FOR FULL PARTS LIST)
- IF ITEM NO. 24 (LPRV1) IS ORDERED AS A SPARE PART, THIS ALREADY COMES WITH 2 OFF ITEM NO.27 (SEC014RF001). THEREFORE THESE ARE NOT REQUIRED TO BE ORDERED SEPERATELY.
- FOR SUB ASSEMBLIES ITEM NO. 35 (15494-A) & ITEM NO. 37 (PMA060GZ001) REFER TO THEIR INDUVIDUAL EVD's.

IMPORTANT

WHEN ORDERING SPARES YOU MUST STATE THE FULL PART NUMBER AND THE PRODUCT SERIAL NUMBER - FROM THE LABEL TO PROTECT YOUR WARRANTY ALWAYS USE GENUINE HI-FORCE PARTS.



PISTON BLOCK ASSEMBLY

SERIAL NUMBERS

PRODUCT NO.

VERSION 01

15494-A

SHT 1 OF 1 SHTS

> 14 15

16

17 18

19

20

www.hi-force.com

| ITEM NO. | PART NUMBER | DESCRIPTION | QTY. | SPARE PARTS | SERVICE PARTS | RE | VISION |
|-------------|--------------|---|------|----------------|------------------|----|--------|
| 1 | 15494 | PISTON BLOCK | 1 | 1 X | | 1 | 5717 |
| 2 | 15495 | PISTON | 1 | X | | 2 | 5866 |
| 3 | 15496 | VALVE SEAT | 1 | X | | 3 | |
| 4 | 15509 | SUCTION/DELIVERY SPRING | 2 | X | | 4 | |
| 5 | 15508 | PUMP SPRING | 1 | X | | 5 | |
| 6 | BAC005\$N000 | Ø5 mm STEEL BALL GRADE 100 | 2 | X | | 6 | |
| 7 | SEC014RF001 | O-RING - I.D. 10.82 mm, C.S. 1.78 mm, NITRILE 90 | 2 | | 1 | 8 | |
| 8 | SEC010RA001 | O-RING - I.D. 6.35 mm, C.S. 1.78 mm, NITRILE 70 | 1 | X | | 9 | |
| 9 | STC008SA001 | N1305-0031 SELF LOCKING RING | 1 | X | | 11 | |
| | | | | | | 12 | |
| | | | | | | 13 | |

NOTE:

- ALL PARTS ARE AVAILABLE TO BE ORDERED AS SPARE PARTS (UNLESS MARKED WITH X).
- ONLY PARTS MARKED WITH **\(\sigma** ARE AVAILABLE AS BOTH SPARE PARTS OR SERVICEABLE PARTS, FROM HEP-SK1 PUMP SERVICE KIT. (REFER TO HEP-SK1: PUMP SERVICE KIT EVD FOR FULL PARTS LIST).

IMPORTANT

WHEN ORDERING SPARES YOU MUST STATE THE FULL PART NUMBER AND THE PRODUCT SERIAL NUMBER - FROM THE LABEL TO PROTECT YOUR WARRANTY ALWAYS USE GENUINE HI-FORCE PARTS.

SERIAL NUMBERS

PRODUCT NO.

PMA060GZ001

SHT 1 OF 3 SHTS

17

18 19

20

| 4 | 8 | 11 |
|-----------------------|---|----|
| 3 4 4 5 5 | | |

| ITEM NO. | PART NUMBER | DESCRIPTION | QTY. | SPARE PARTS | SERVICE PARTS | REVISION |
|---------------|---|--|------|----------------|------------------|----------|
| 1 | GP60 | GEAR PUMP | 1 | | | 1 5939 |
| 2 | PMC000TM001 | TRANSFER PLATE | 1 | | | 2 |
| 3 | 15510C | CONNECTOR TUBE | 1 | | | 3 |
| 4 | SEC010RA001 | O-RING - I.D. 6.35 mm, C.S. 1.78 mm, NITRILE 70 | 2 | | ✓ | 5 |
| 5 | SEC019RF002 | O-RING - I.D. 15.60, C.S. 1.78mm, NITRILE 90 | 2 | | ✓ | 6 |
| 6 PMC000XM001 | | SEALING PLATE | 1 | | | 7 |
| 7 | 7 BLC006JD030 M6 x 30 mm HEX SOCK HEAD SCREW | | 3 | | | 9 |
| 8 | 15507 | ADAPTOR | 1 | | | 10 |
| 9 | PCC002WC001 | KEY TO FIT 200/300 PUMPS | 1 | | | 11 |
| | 5.0000000000 | M8 X 80 HEX SOCKET | | | | 12 |
| 10 | FAS008SP080 | REDUCED CAP HEAD SCREW (FULLY THREADED) | 2 | | | 13 |
| 11 | FPA013DC001 | GEAR PUMP ELBOW (INC | 1 | х | | 14 |
| - ' ' | 1.7.01020001 | WITH GEAR PUMP) | | | | 15 |
| | | | | | | 16 |

NOTE:

- ALL PARTS ARE AVAILABLE TO BE ORDERED AS SPARE PARTS (UNLESS MARKED WITH $\emph{\textbf{x}}$)
- ONLY PARTS MARKED WITH ✓ARE AVAILABLE AS BOTH SPARE PARTS OR SERVICEABLE PARTS, FROM HEP-SK1 PUMP SERVICE KIT. (REFER TO HEP-SK1: PUMP SERVICE KIT EVD FOR FULL PARTS LIST)
- THE ORIENTATION OF ITEM NO. 2 (PMC000TM001) IS DETERMINED BY THE BRAND OF THE GP60 GEAR PUMP SUPPLIED (REFER TO SHEET 2 FOR FURTHER DETAILS)
- ITEM NO. 10 (FAS008SP080) ARE TO REPLACE TWO SCREWS (BLC008KC080)ON THE TYPE300-24, PRIOR TO FITTING PMA060GZ001 (REFER TO SHEET 3 FOR FURTHER DETAILS)
- INDIVIDUAL ITEMS ARE NOT AVAILABLE AS SPARE PARTS FOR HEP PUMPS WITH SERIAL NUMBERS EARLIER THAN **BR9070**. GP60 GEAR PUMP ASSEMBLY (PMA060GZ001) WILL NEED TO BE ORDERED. INDIVIDUAL ITEMS APART FROM ITEM NO. 11 ARE AVAILABLE AS SPARE PARTS FOR HEP PUMPS WITH SERIAL NUMBERS ABOVE **BR9070**

IMPORTANT

WHEN ORDERING SPARES YOU MUST STATE THE FULL PART NUMBER AND THE PRODUCT SERIAL NUMBER - FROM THE LABEL TO PROTECT YOUR WARRANTY ALWAYS USE GENUINE HI-FORCE PARTS.

SERIAL NUMBERS

PRODUCT NO.

PMA060GZ001

SHT 2 OF 3 SHTS


REVISION

1) 5939

5

ORIENTATION OF TRANSFER PLATE


FOR GALTECH GEAR PUMPS, LOOK FOR "GALTECH" USUALLY FOUND ON THE SIDE OF THE BODY



FOR BONDIOLI GEAR PUMPS, LOOK FOR

"BONDIOLI & PAVESI" USUALLY FOUND

ON THE BOTTOM OF THE BODY



IMPORTANT

WHEN ORDERING SPARES YOU MUST STATE THE FULL PART NUMBER AND THE PRODUCT SERIAL NUMBER - FROM THE LABEL TO PROTECT YOUR WARRANTY ALWAYS USE GENUINE HI-FORCE PARTS.

PRODUCT NO.


PMA060GZ001

SHT 3 OF 3 SHTS

REVISION

| 0 | 5939 |
|----|------|
| 2 | |
| 3 | |
| 4 | |
| 5 | |
| 6 | |
| 7 | |
| 8 | |
| 9 | |
| 10 | |
| 11 | |
| 12 | |
| 13 | |
| 14 | |

TYPE300-24: BOTTOM VIEW



REMOVE THE TWO CURRENT SCREWS FROM THESE TWO POSITIONS AND REPLACE WITH ITEM NO. 10 (FAS008SP080)

<u>IMPORTANT</u>

WHEN ORDERING SPARES YOU MUST STATE THE FULL PART NUMBER AND THE PRODUCT SERIAL NUMBER - FROM THE LABEL TO PROTECT YOUR WARRANTY ALWAYS USE GENUINE HI-FORCE PARTS.



MOTOR STARTER ASSEMBLY


SERIAL NUMBERS

PRODUCT NO.

version 01

EMA415UC001

SHT 1 OF 1 SHTS



| | | | | | 1 31113 |
|-------------|--------------|---|------|----------------|----------|
| ITEM NO. | PART NUMBER | DESCRIPTION | QTY. | SPARE PARTS | REVISION |
| 1 | EMC000EF001 | ENCLOSURE WITH PUSH BUTTONS P1MT | 1 | | 1 5717 |
| 2 | EMC415KE001 | CONTACTOR 415 V | 1 | | 2 |
| 3 | EMC415RC001 | OVERLOAD RELAY 2.7-4.0 AMPS | 1 | | 3 |
| 4 | EMC110XF001 | BRIDGING BAR | 1 | | 5 |
| 5 | NUC020LS002 | GLAND 6-12MM | 2 | | 6 |
| 6 | EMC000NZ001 | TERMINAL BLOCK | 1 | | 7 |
| 7 | CEC150DC000 | 4 CORE CABLE 1.5 mm2 H07RN-F 4G1.5 | 1 | | 8 |
| 8 | CEC150EC001 | 5 CORE CABLE 1.5 mm2 H07RN-F 5G1.5 | 1 | | 9 |
| 9 | CEC250\$X001 | BOOTLACE FERRULE (INSULATED) 2.5mm GREY | 4 | | 10 |
| 10 | CEC250AC000 | SINGLE CORE TRI-RATED CABLE 2.5mm ² BLACK H05V2-K / H07V2-K | 1 | | 12 |
| 11 | BLC004JD016 | M4 x 16 mm HEX SOCKET CAP HEAD SCREW | 2 | | 14 |
| 12 | WAC004YB000 | M4 WASHER ST | 2 | | 15 |
| 13 | MCC415EP002 | 415V, 32A ELECTRICAL PLUG | 1 | | 16 |
| 14 | CEC250SX002 | TWIN BOOTLACE FERRULE 2.5 mm ² | 2 | | 18 |
| 15 | CEC150SX001 | BOOTLACE FERRULE (INSULATED) 1.5mm | 4 | | 19 |
| 16 | CEC150SX002 | TWIN BOOTLACE FERRULE 1.5 mm² | 1 | | 20 |

NOTE:

- ALL PARTS ARE AVAILABLE TO BE ORDERED AS SPARE PARTS (UNLESS MARKED WITH \boldsymbol{x}).


IMPORTANT

WHEN ORDERING SPARES YOU MUST STATE THE FULL PART NUMBER AND THE PRODUCT SERIAL NUMBER - FROM THE LABEL TO PROTECT YOUR WARRANTY ALWAYS USE GENUINE HI-FORCE PARTS.



2 WAY, MANUALLY OPERATED PUMP MOUNTED DIRECTIONAL CONTROL VALVE

| SERIAL NUMBERS | PRODUCT NO. | VERSION | |
|----------------|-------------|---------|--|
| | PMV2 | 01 | |



| ′ ' | 17 (L | | | PMV2 | 01 | | | HT 1 OF 1 SHTS |
|-----|-------------|-------------|------------|----------------------------------|------|----------------|----------|-------------------|
| | ITEM NO. | PART NUMBER | DES | CRIPTION | QTY. | SPARE PARTS | RE | VISION |
| | 1 | VFC010BF014 | VALVE MC | OUNTING BLOCK | 1 | X | 0 | 5717 |
| | 2 | SEC003KT001 | VALV | /E GASKET | 1 | | 2 | |
| | 3 | FPC010PN001 | 3/8 NPT BI | LANKING PLUG | 3 | | 3 | |
| | 4 | BLC008KD035 | | HEX SOCKET CAP D SCREW | 4 | | 5 | |
| | 5 | SEC020RA001 | | 15.60 mm, C.S. 2.4 NITRILE 70 | 1 | | 6 | |
| | 6 | SEC020BA001 | BACI | K UP RING | 1 | | 8 | |
| | 7 | HLC046BM001 | HAN | IDLE BASE | 1 | X | 9 | |
| | 8 | HLC010BM002 | PMV2 | 2 - HANDLE | 1 | X | 10 | |
| | 9 | FAS005MB001 | | IEX SOCKET CUP PT CREW | 1 | | 11 12 | |
| | 10 | BAC012SN001 | 12mm | STEEL BALL | 1 | | 13 | |
| | 11 | VFC010DR002 | SI | PINDLE | 1 | X | 14 | |
| | 12 | FAS006MB012 | | IEX SOCKET CUP PT CREW | 2 | | 15 | |
| | | | | EX SOCKET BUTTON | | | 16 17 | |
| | 13 | BLC005HH020 | | D SCREW | 1 | | 17 | |
| | | | | | | | 19 | |
| | NOTE | • | | | | | 17 | |

20

NOTE:

- ALL PARTS ARE AVAILABLE TO BE ORDERED AS SPARE PARTS (UNLESS MARKED WITH \boldsymbol{x}).

IMPORTANT

WHEN ORDERING SPARES YOU MUST STATE THE FULL PART NUMBER AND THE PRODUCT SERIAL NUMBER - FROM THE LABEL TO PROTECT YOUR WARRANTY ALWAYS USE GENUINE HI-FORCE PARTS.



HEP & HAP PRESSURE GAUGE ASSEMBLY

| SERIAL NUMBERS | PRODUCT NO. | VERSION | |
|----------------|-------------|---------|--------------------|
| | PGP063AK001 | 01 | SHT 1 OF 1 SHTS |

| (5) (7) (1) (9) (8) (1) (2) (2) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4 |
|--|
| 3 |

| | | | | | | 1 31113 |
|-------------|-------------|---|------|----------------|----------------|---------|
| ITEM NO. | PART NUMBER | DESCRIPTION | QTY. | SPARE PARTS | RE | VISION |
| 1 | WAC005EC001 | M5 X 9 X 1.0 COPPER SEALING WASHER | 1 | | 1 2 | 5717 |
| 2 | BLC006JH010 | M6 X 10 mm, HEX SOCKET, BUTTON HEAD SCREW | 1 | | 3 | |
| 3 | HF16 | ELBOW, 3/8" NPT FEMALE TO 3/8" NPT MALE | 1 | | 5 | |
| 4 | PGB063PF001 | FLANGE MOUNTED 700 Bar PRESSURE GAUGE | 1 | | 6 7 | |
| 5 | HOC006GB001 | 700 Bar GAUGE HOSE WITH 1/4"BSP CONE FEMALE FITTINGS | 1 | | 8 | |
| 6 | FPC010BN008 | M/M ADAPTOR 3/8 NPT x 1/4 BSP INT 60° CONE 1000 Bar (STAINLESS STEEL) | 1 | | 10 11 12 | |
| 7 | ANC013PC001 | 13mm BLACK STAINLESS STEEL P CLIP | 1 | | 13 | |
| 8 | FPC006BB002 | 700 Bar SS 1/4" BSPP x BSPP FIXED FEMALE GAUGE ADAPTOR | 1 | | 14 15 16 | |
| 9 | BLC003ZD010 | M3 X 10 mm HEX SOCKET CAP HEAD SCREW | 6 | | 17 18 | |
| 10 | NUC003UK001 | M3 FEMALE STEEL HEX STANDOFF 30mm LONG | 3 | | 19 | |
| 11 | SFC085HA001 | STRAIN RELIEF PLATE | 1 | | 20 | |

NOTE:

- ALL PARTS ARE AVAILABLE TO BE ORDERED AS SPARE PARTS (UNLESS MARKED WITH X).

IMPORTANT

WHEN ORDERING SPARES YOU MUST STATE THE FULL PART NUMBER AND THE PRODUCT SERIAL NUMBER - FROM THE LABEL TO PROTECT YOUR WARRANTY ALWAYS USE GENUINE HI-FORCE PARTS.



PUMP SERVICE KIT


| SERIAL NUMBERS | |
|----------------|--|
| | |


PRODUCT NO. HEP-SK1

SHT 1 OF 1 SHTS

| ITEM NO. | PART NUMBER | DESCRIPTION | QTY. | REVISION |
|-------------|-------------|--|------|----------|
| 1 | 15482 | TANK GASKET | 1 | 1 5717 |
| 2 | SEC010RA001 | O-RING - I.D. 6.35 mm, C.S. 1.78 mm, NITRILE 70 | 2 | 2 5939 |
| 2 | | | | 3 |

| 1 15482 TANK GASKET 1 1 2 SEC010RA001 O-RING - I.D. 6.35 mm, C.S. 1.78 mm, NITRILE 70 2 3 3 SEC014RF001 O-RING - I.D. 10.82 mm, C.S. 1.78 mm, NITRILE 90 10 4 4 SEC013RA001 O-RING - I.D. 9.25mm, C.S. 1.78mm, NITRILE 90 2 6 5 SEC019RF002 O-RING - I.D. 15.60, C.S. 1.78mm, NITRILE 90 2 7 6 SEC013BA001 BACK-UP RING - PTFE, SOLID SPLIT 2 9 7 SEC001KT003 GASKET 1 10 | | | | | 1 |
|---|---|-------------|--|----|-----|
| 2 SEC010RA001 C.S. 1.78 mm, NITRILE 70 2 3 3 SEC014RF001 O-RING - I.D. 10.82 mm, C.S. 1.78 mm, NITRILE 90 10 4 4 SEC013RA001 O-RING - I.D. 9.25mm, C.S. 2 6 5 SEC019RF002 O-RING - I.D. 15.60, C.S. 1.78mm, NITRILE 90 2 6 6 SEC013BA001 BACK-UP RING - PTFE, SOLID SPLIT 2 9 | 1 | 15482 | tank gasket | 1 | 1 |
| 3 SEC014RF001 C.S. 1.78 mm, NITRILE 90 10 4 SEC013RA001 O-RING - I.D. 9.25mm, C.S. 1.78mm, NITRILE 90 2 5 SEC019RF002 O-RING - I.D. 15.60, C.S. 1.78mm, NITRILE 90 2 6 SEC013BA001 BACK-UP RING - PTFE, SOLID SPLIT 2 | 2 | SEC010RA001 | O-RING - I.D. 6.35 mm, C.S. 1.78 mm, NITRILE 70 | 2 | 3 |
| 4 SEC013RA001 O-RING - I.D. 9.25mm, C.S. 2 6 5 SEC019RF002 O-RING - I.D. 15.60, C.S. 1.78mm, NITRILE 90 2 8 6 SEC013BA001 BACK-UP RING - PTFE, SOLID SPLIT 2 9 | 3 | SEC014RF001 | | 10 | - 1 |
| 5 SEC019RF002 1.78mm, NITRILE 90 2 6 SEC013BA001 BACK-UP RING - PTFE, SOLID SPLIT 2 9 | 4 | SEC013RA001 | O-RING - I.D. 9.25mm, C.S. 1.78mm, NITRILE 90 | 2 | |
| 6 SECUTSBAUUT SOLID SPLIT 2 7 | 5 | SEC019RF002 | | 2 | |
| 7 SEC001KT003 GASKET 1 10 | 6 | SEC013BA001 | | 2 | 9 |
| | 7 | SEC001KT003 | GASKET | 1 | 10 |





IMPORTANT

WHEN ORDERING SPARES YOU MUST STATE THE FULL PART NUMBER AND THE PRODUCT SERIAL NUMBER - FROM THE LABEL TO PROTECT YOUR WARRANTY ALWAYS USE GENUINE HI-FORCE PARTS.