



ITEM NO.

1

2

3

4

5

6

7

8

9

10

11

12

PART NUMBER

HDA10013

CM1

HF31

SAC045MT002

FPC010DN001

WAC010HD000

HPF207414

FAS002HZ001

AAN100FP001

PAA100HG001

BLC005HH016

HH2

QTY.

1

1

2

1

1

1

1

2

4

1

1

3

DESCRIPTION

DOUBLE ACTING CYLINDER HDA10013

SADDLE

MALE COUPLER

3/8" NPT TEE

MALE STUD ELBOW

3/8" BSP DOWTY WASHER

400V 50hz/460V 60hz, TWO STAGE,

ELECTRIC DRIVEN, MEDIUM FLOW PUMP

HYDRAULIC HOSE 2M.

NO.4 x 3/16 HAMMER DRIVE SCREW

NAMEPLATE

100T PRESS FRAME

M5 x 16 BUTTON HEAD SCREW

SPARE PART

AVAILABILITY

ITEM NO.

13

14

15

16

17

18

19

20

21

22

23

24

PART NUMBER

HFPG-100T

WAC007HD000

FPC010BB002

FPC010YB001

WAC008AB000

WAC008BB000

BLC008KD020

NUC006JC000

WAC006AF000

SFC020HC001

SFC388HB001

BLC006JX025

FROM BS8412

HPF10044

SHT 2 OF 2 SHTS

			1 6088	
			2 6180	
DESCRIPTION	QTY.	SPARE PART AVAILABILITY	3	
PRESSURE GAUGE	1		4	
1/4" BSP SELF CENTERING BONDED WASHER	1		6	
M/F ADAPTER 1/4 IN. BSP X 3/8 IN. BSP	1		7	
STUD COUPLING	1		9	
M8 PLAIN WASHER	8		10	
M8 ZINC PLATED SPRING WASHER	8		11	
M8 x 20 mm HEX SOCKET CAP HEAD SCREW	8		13	
M6 NYLOK NUT	2		14	
M6 ZINC WASHER	2		15 16	
HPF SHELF SUPPORT	2		17	
HPF PUMP SHELF	1		18	
M8x30 CK SCREW	2		19 20	

NOTES:

Х


Х


-ALL PARTS AVAILABLE TO ORDER AS AN INDIVIDUAL SPARE PART UNLESS MARKED "X"

-FOR SUB ASSEMBLIES (ITEM NO.S 1, 7 & 11) PLEASE REFER TO THEIR INDIVIDUAL EVD's

IMPORTANT


WHEN ORDERING SPARES YOU MUST STATE THE FULL PART NUMBER AND THE PRODUCT SERIAL NUMBER - FROM THE LABEL TO PROTECT YOUR WARRANTY ALWAYS USE GENUINE HI-FORCE PARTS.





) H	Hi-Ford		400V 50hz/460V 60hz, TWO FLOW PUMP	stag	e, elec	CTRIC	DRIV	/EN, MEDIUM	SERIAL NUMBERS	PRODUCT			SHT 2 C 2 SHTS
TEM NO.	PART NUMBER		DESCRIPTION	QTY.	SPARE PARTS	SERVICE PARTS	ITEM NO.	PART NUMBER	DESCRIPTION	Q	IY. SPA	RE SERVICE RTS PARTS	REVISIO
1	EMA415UC001		MOTOR STARTER ASSEMBLY	1			24	BPC025KP001	1" SQ RIBBED INSERT BLACK		1		1 6085
2	TAC000FS003		MOUNTING PLATE	1			25	BLC005HF020	M5 x 20 mm HEX SOCKET COUNTERSUNK SCREW		0		2
3	TAC010AS012		10L Tank	1			26	FPC013PC001	1/2" BSP PLUG - HEX SOCKET				3
4	15482		TANK GASKET	1		✓	27	WAC008AB000	M8 PLAIN WASHER		1		4
5	DCSF00328		DOUBLE SIDED MAGNET	1			28	NUC008KC000	M8 NYLOC NUT		1		6
6	NUC021-B000		1/2" BSP LOCK NUT	2			29	SEC013EH001	12.7mm ID BLACK PVC OPEN GROMM	ET ·			7
7	BLC021YT010	SIGHT	GLASS HGF.13 BLACK OIL LEVEL INDICATOR	2			30	SEC013EH002	12.7mm OD BLACK PVC BLIND GROMM	NET 2	2		8
8	PMV4L	4 WA DIRECTI	Y, MANUALLY OPERATED, PUMP MOUNTED ONAL CONTROL VALVE WITH LOAD HOLDING	1			31	TAC000FS004	HOUSING				10
9	HF16		BOW, 3/8" NPT FEMALE TO 3/8" NPT MALE	2			32	ANC015PC001	CABLE CLIP BLACK SCREW POLYACETAL CAE 15mm	BLE CLIP,	1		11
10	FAS002HZ001		NO.4 x 3/16 HAMMER DRIVE SCREW	2			33	WAC006AF000	M6 ZINC WASHER	8	3		12 13
11	AAN000UP001		60 x 30 mm UNIVERSAL NAME PLATE	1	X		34	WAC006BC001	M6 SPRING ZINC WASHER (SQUARE SECTI		3		14
12	BPC010SP002		FILLER	1			35	BLC006JH010	M6 X 10 mm, HEX SOCKET, BUTTON HEAD S	CREW 8	3		15
13	BPC010DS001		ZINC PLATED DIPSTICK 239mm LONG	1									16 17
14	NUC020LS002		GLAND 6-12MM	1			1						18
15	EM415-1.5-4LAF		AMPE 90L BA 4 - 1.5KW 4 POLE MOTOR	1				NOTE:					19
16	WAC010AB000		M10 ZINC PLATED FLAT WASHER	4					.RTS ARE AVAILABLE TO BE ORDERED AS S D WITH X)	PARE PARTS	(UNLESS		20
17	WAC010BZ000		M10 SPRING WASHER	4									
18	BLC010LB035	M	10 x 35 mm HEX HEAD BOLT, ZINC PLATED	4			1		PARTS MARKED WITH ✔ARE AVAILABLE AS VICEABLE PARTS, FROM HEP-SK1 PUMP SE				
19	SEC001KT003		GASKET	1		✓	1	HEP-SK1	I : PUMP SERVICE KIT EVD FOR FULL PARTS	S LIST)			
20	TYPE200-24		200 SERIES PUMP UNIT	1			1		JB ASSEMBLIES (ITEM NO.S 1, 8 & 20) PLEA	SE REFER TO	THEIR		
21	FPC013AC010		1/2" BSPT SUCTION PIPE	1			1	UIVIUMI	UAL EVD's.				
22	FFC045MZ001		FILTER	1			1	-ITEM NO	O.S 12 & 13 MUST BE ORDERED TOGETHE	R			
			160 mm LONG SUCTION PIPE	1			1						

IMPORTANT WHEN ORDERING SPARES YOU MUST STATE THE FULL PART NUMBER AND THE PRODUCT SERIAL NUMBER - FROM THE LABEL TO PROTECT YOUR WARRANTY ALWAYS USE GENUINE HI-FORCE PARTS.



ITEM NO.	PART NUMBER	DESCRIPTION	QTY.	SPARE PARTS	SERVICE PARTS
1	15494-A	PISTON BLOCK ASSEMBLY	2		
2	15497	UPPER PLATE	1		
3	15499	LOWER PLATE	1		
4	15503	CONNECTOR PIPE	1		
5	15505	24mm DRIVE SHAFT	1		
6	17587	TRANSFER BLOCK	1		
7	17588	VALVE PLATE	1		
8	BAC008SN000	Ø8 mm STEEL BALL GRADE 100	5		
9	BLC005HF016	M5 x 16 mm HEX SOCKET COUNTERSUNK SCREW	2		
10	BLC006JE016	M6 x 16 mm HEX SOCKET COUNTERSUNK SCREW	1		
11	BLC008KF035	M8 x 35 mm HEX SOCKET COUNTERSUNK SCREW	4		
12	BLC006JC045	M6 x 45 mm HEX SOCKET CAP HEAD SCREW	2		
13	BLC006JD025	M6 x 25 mm HEX SOCKET CAP HEAD SCREW	4		
14	BLC008KC080	M8 x 80 mm HEX SOCKET CAP HEAD SCREW	6		
15	BPC006RS001	SEALING PLUG	3		
16	BSC025MC001	LOWER PLATE BEARING	1		
17	BSC035NC001	UPPER PLATE BEARING	1		
18	BSC040ND001	ECCENTRIC BEARING	1		
19	FA\$006GJ010	1/4" BSP HEX HEAD BLANKING PLUG	1		
20	FAS010MA010	M10 X 10 CUP POINT GRUB SCREW	5		
21	FFC012MA001	SUCTION FILTER	1		
22	HPRV1	HIGH PRESSURE R/VALVE	1		
23	LPRV1	LOW PRESSURE R/VALVE	1		
24	SEC013RA001	O-RING - I.D. 9.25mm, C.S. 1.78mm, NITRILE 90	2		~
25	SEC014RF001	O-RING - I.D. 10.82 mm, C.S. 1.78 mm, NITRILE 90	4		✓

www.hi-force.com

									2 SHTS
ITEM NO.	PART	NUMBER	DESCRIPTION		QTY.	SPARE PARTS	SERVICE PARTS	RE	VISION
26	SEC01	3BA001	BACK-UP RING - PTFE SPLIT	, solid	2		✓	1	5717 5866
27	SEC03	5WE001	UPPER PLATE OIL S	SEAL	1			3	
28	STC02	5AA001	EXTERNAL CIRCLIP - 2 mm D1400/02		1			4	
29	STC04	0AA001	EXTERNAL CIRCLIP - 4 mm D2100/040		2			5 6	
30	STC04	7BA001	INTERNAL CIRCLIP - 4 mm D1300/047		1			7 8	
31	TAC00)0BA003	COVER PLATE		1			9	
32	WAC0	06AF000	M6 ZINC WASH	ER	4			10	
33	WACO	06BC001	M6 SPRING ZINC W. (SQUARE SECTIO		2			11 12	
34	WAC00	07HD000	1/4" BSP SELF CENTI BONDED WASH		1			13	
35	PMA04	48GZ001	GP48 GEAR PUMP AS	SEMBLY	1			14 15	
								10	

NOTE:

- ALL PARTS ARE AVAILABLE TO BE ORDERED AS SPARE PARTS (UNLESS MARKED WITH X).

SERIAL NUMBERS

- ONLY PARTS MARKED WITH ✓ARE AVAILABLE AS BOTH SPARE PARTS OR SERVICEABLE PARTS, FROM **HEP-SK1 PUMP SERVICE KIT.** (REFER TO HEP-SK1: PUMP SERVICE KIT EVD FOR FULL PARTS LIST)

- IF ITEM NO. 23 (LPRV1) IS ORDERED AS A SPARE PART, THIS ALREADY COMES WITH 2 OFF ITEM NO. 25 (SEC014RF001). THEREFORE THESE ARE NOT REQUIRED TO BE ORDERED SPERATELY.

- FOR SUB ASSEMBLIES - ITEM NO. 1 (15494-A) & ITEM NO. 35 (PMA048GZ001) REFER TO THEIR INDUVIDUAL EVD's.

WHEN ORDERING SPARES YOU MUST STATE THE FULL PART NUMBER AND THE PRODUCT SERIAL NUMBER - FROM THE LABEL TO PROTECT YOUR WARRANTY ALWAYS USE GENUINE HI-FORCE PARTS.

SHT 2 OF

16


17

18 19

20

PRODUCT NO.

TYPF200-24



	SERIAL NUMBERS		PRODUCT NO.			VE	rsion		
			15494-A			C)1		ht 1 Of 1 Shts
ITE <i>I</i> NC	^M PART NUMBER	DESCRI	PTION	QTY.	SPAR PAR		SERVICE PARTS	RE	VISION
1	15494	PISTON E	BLOCK	1	X			1	5717
2	15495	PISTO	N	1	X			2	5866
3	15496	VALVE	SEAT	1	X			3	
4	15509	SUCTION/DELIV	/ery spring	2	X			4	
5	15508	PUMP SF	PRING	1	X			5	
6	BAC005SN000	Ø5 mm STEEL E 100		2	X			6	
7	SEC014RF001	O-RING - I.D. C.S. 1.78 mm		2			✓	8	
8	SEC010RA001	O-RING - I.D. 6 1.78 mm, N		1	X			9 10	
9	STC008SA001	N1305-0031 SE RIN		1	X			11	
L	1	1				-		12	

13

14 15

16

17

18

19

20

<u>NOTE:</u>

- ALL PARTS ARE AVAILABLE TO BE ORDERED AS SPARE PARTS (UNLESS MARKED WITH \mathbf{X}).
- ONLY PARTS MARKED WITH ✓ARE AVAILABLE AS BOTH SPARE PARTS OR SERVICEABLE PARTS, FROM **HEP-SK1 PUMP SERVICE KIT**. (REFER TO HEP-SK1: PUMP SERVICE KIT EVD FOR FULL PARTS LIST).

IMPORTANT

WHEN ORDERING SPARES YOU MUST STATE THE FULL PART NUMBER AND THE PRODUCT SERIAL NUMBER - FROM THE LABEL TO PROTECT YOUR WARRANTY ALWAYS USE GENUINE HI-FORCE PARTS.

SERIAL NUMBERS

PRODUCT NO.

PMA048GZ001

SHT 1 OF 3 SHTS

17

18

19

20



	1)
	<u>NOTE:</u>
	- ALL PA
	- ONLY F SK1 PU
	- POSITI SUPPLI
	- ITEM N HPP PI

ITEM NO.PART NUMBERDESCRIPTIONQTY.SPARE PARTSSERVICE PARTSREVISION1GP48GEAR PUMP11159392PMC000TM001TRANSFER PLATE1125983315510ACONNECTOR TUBE11314SEC010RA001O-RING - I.D. 6.35 mm, C.S. 1.78 mm, NITRILE 702✓555SEC019RF002O-RING - I.D. 15.60, C.S. 1.78mm, NITRILE 902✓666PMC000XM001SEALING PLATE11817BLC006JD030M6 x 30 mm HEX SOCKET CAP HEAD SCREW3111815507ADAPTOR11119PCC002WC001KEY TO FIT 200/300 PUMPS1111110FAS008SP080M8 X 80 HEX SOCKET REDUCED CAP HEAD SCREW (FULLY THREADED)2131311FPA013DC001GEAR PUMP ELBOW (INC WITH GEAR PUMP)1X1411FPA013DC001GEAR PUMP ELBOW (INC WITH GEAR PUMP)1115				1 / • 0	02001			3 SHTS	
1 GP48 GEAR PUMP 1 <t< td=""><td></td><td>PART NUMBER</td><td>DESCRIPTIC</td><td>N</td><td>QTY.</td><td></td><td></td><td>RE</td><td>VISION</td></t<>		PART NUMBER	DESCRIPTIC	N	QTY.			RE	VISION
2 IMACOUNIMOUT INANSFERTEXTE 1 3 3 15510A CONNECTOR TUBE 1 3 4 SEC010RA001 O-RING - I.D. 6.35 mm, C.S. 1.78 mm, NITRILE 70 2 6 5 SEC019RF002 O-RING - I.D. 15.60, C.S. 1.78mm, NITRILE 90 2 7 6 PMC000XM001 SEALING PLATE 1 8 7 BLC006JD030 M6 x 30 mm HEX SOCKET CAP HEAD SCREW 3 9 8 15507 ADAPTOR 1 10 9 PCC002WC001 KEY TO FIT 200/300 PUMPS 1 11 10 FAS008SP080 CAP HEAD SCREW (FULLY THREADED) 2 13 11 FPA013DC001 GEAR PUMP ELBOW (INC WITH GEAR PUMP) 1 X 15	1	GP48	GEAR PUM	P	1			1	5939
3 10010/1 CONNECTOR TUBE 1 4 4 SEC010RA001 O-RING - I.D. 6.35 mm, C.S. 1.78 mm, NITRILE 70 2 5 5 SEC019RF002 O-RING - I.D. 15.60, C.S. 1.78mm, NITRILE 90 2 7 6 PMC000XM001 SEALING PLATE 1 8 7 BLC006JD030 M6 x 30 mm HEX SOCKET CAP HEAD SCREW 3 9 8 15507 ADAPTOR 1 10 9 PCC002WC001 KEY TO FIT 200/300 PUMPS 1 11 10 FAS008SP080 M8 X 80 HEX SOCKET REDUCED CAP HEAD SCREW (FULLY THREADED) 2 13 11 FPA013DC001 GEAR PUMP ELBOW (INC WITH GEAR PUMP) 1 X 15	2	PMC000TM001	TRANSFER PL	ATE	1			2	5983
15510BCONNECTOR TUBE144SEC010RA001O-RING - I.D. 6.35 mm, C.S. 1.78 mm, NITRILE 70255SEC019RF002O-RING - I.D. 15.60, C.S. 1.78mm, NITRILE 90276PMC000XM001SEALING PLATE187BLC006JD030M6 x 30 mm HEX SOCKET CAP HEAD SCREW39815507ADAPTOR1109PCC002WC001KEY TO FIT 200/300 PUMPS11110FAS008SP080M8 X 80 HEX SOCKET REDUCED CAP HEAD SCREW (FULLY THREADED)21311FPA013DC001GEAR PUMP ELBOW (INC WITH GEAR PUMP)1X15	0	15510A	CONNECTOR	TUBE	1			3	
4 SECUTORAUDI mm, NITRILE 70 2 4 6 5 SEC019RF002 O-RING - I.D. 15.60, C.S. 1.78mm, NITRILE 90 2 7 6 6 PMC000XM001 SEALING PLATE 1 8 7 6 PMC000XM001 SEALING PLATE 1 8 9 7 BLC006JD030 M6 x 30 mm HEX SOCKET CAP HEAD SCREW 3 9 10 8 15507 ADAPTOR 1 10 11 9 PCC002WC001 KEY TO FIT 200/300 PUMPS 1 11 12 10 FAS008SP080 M8 X 80 HEX SOCKET REDUCED CAP HEAD SCREW (FULLY THREADED) 2 13 13 11 FPA013DC001 GEAR PUMP ELBOW (INC WITH GEAR PUMP) 1 X 15 <td>3</td> <td>15510B</td> <td>CONNECTOR</td> <td>TUBE</td> <td>1</td> <td></td> <td></td> <td>4</td> <td></td>	3	15510B	CONNECTOR	TUBE	1			4	
5 SEC019RF002 O-RING - I.D. 15.60, C.S. 1.78mm, NITRILE 90 2 7 6 PMC000XM001 SEALING PLATE 1 8 7 BLC006JD030 M6 x 30 mm HEX SOCKET CAP HEAD SCREW 3 9 8 15507 ADAPTOR 1 10 9 PCC002WC001 KEY TO FIT 200/300 PUMPS 1 11 10 FAS008SP080 M8 X 80 HEX SOCKET REDUCED CAP HEAD SCREW (FULLY THREADED) 2 13 11 FPA013DC001 GEAR PUMP ELBOW (INC WITH GEAR PUMP) 1 X 15	4	SEC010RA001			2		~	-	
7 BLC006JD030 M6 x 30 mm HEX SOCKET CAP HEAD SCREW 3 9 8 15507 ADAPTOR 1 10 9 PCC002wC001 KEY TO FIT 200/300 PUMPS 1 11 10 FAS008SP080 CAP HEAD SCREW (FULLY THREADED) 2 13 11 FPA013DC001 GEAR PUMP ELBOW (INC WITH GEAR PUMP) 1 X 15	5	SEC019RF002			2		~	Ŭ	
7 BLC006JD030 MB W B CREW 3 9 8 15507 ADAPTOR 1 10 9 PCC002WC001 KEY TO FIT 200/300 PUMPS 1 11 9 PCC002WC001 KEY TO FIT 200/300 PUMPS 1 11 10 FAS008SP080 CAP HEAD SCREW (FULLY THREADED) 2 13 11 FPA013DC001 GEAR PUMP ELBOW (INC WITH GEAR PUMP) 1 X 15	6	PMC000XM001	SEALING PLA	ATE .	1			8	
8 15507 ADAPIOR 1 1 1 9 PCC002WC001 KEY TO FIT 200/300 PUMPS 1 11 12 10 FAS008SP080 CAP HEAD SCREW (FULLY THREADED) 2 13 14 11 FPA013DC001 GEAR PUMP ELBOW (INC WITH GEAR PUMP) 1 X 15	7	BLC006JD030			3			9	
9 PCC002WC001 KEY TO FIT 200/300 PUMPS 1 1 11 12 10 FAS008SP080 M8 X 80 HEX SOCKET REDUCED CAP HEAD SCREW (FULLY THREADED) 2 13 13 11 FPA013DC001 GEAR PUMP ELBOW (INC WITH GEAR PUMP) 1 X 15	8	15507	ADAPTOR	R	1			10	
10 FAS008SP080 M8 X 80 HEX SOCKET REDUCED CAP HEAD SCREW (FULLY THREADED) 2 13 11 FPA013DC001 GEAR PUMP ELBOW (INC WITH GEAR PUMP) 1 X 15	9	PCC002WC001	KEY TO FIT 200/300	0 PUMPS	1				
10 FAS008SP080 CAP HEAD SCREW (FULLY THREADED) 2 13 11 FPA013DC001 GEAR PUMP ELBOW (INC WITH GEAR PUMP) 1 X 14			M8 X 80 HEX SOCKE					12	
11 FPA013DC001 GEAR PUMP ELBOW (INC WITH GEAR PUMP) 1 X 15	10	FAS008SP080	CAP HEAD SCREV	V (FULLY	2				
GEAR PUMP)	11		GEAR PUMP ELBOW	(INC WITH	1	~			
16	11	FF AUTSDC001	GEAR PUM	P)	1	X		15	
								16	

ALL PARTS ARE AVAILABLE TO BE ORDERED AS SPARE PARTS (UNLESS MARKED WITH **X**)

ONLY PARTS MARKED WITH **√**ARE AVAILABLE AS BOTH SPARE PARTS OR SERVICEABLE PARTS, FROM HEP SK1 PUMP SERVICE KIT. (REFER TO HEP-SK1: PUMP SERVICE KIT EVD FOR FULL PARTS LIST)


POSITION OF ITEM NO. 2 (PMC000TM001) IS TO BE DETERMINED BY THE BRAND OF THE GP48 GEAR PUMP SUPPLIED (REFER TO SHEET 2 FOR FURTHER DETAILS)


ITEM NO. 3 USED IS DETERMINED BY THE BRAND OF THE GP48 GEAR PUMP SUPPLIED FOR HEP, HAP AND HPP PUMPS WITH SERIAL NUMBERS EARLIER THAN **BR9070**. FOR BONDIOLI GEAR PUMPS USE CONNECTOR TUBE 15510A AND FOR GALTECH GEAR PUMPS USE CONNECTOR TUBE 15510B (REFER TO SHEET 2 FOR FURTHER DETAILS)

- ITEM NO.10 (FAS008SP080) ARE TO REPLACE TWO SCREWS (BLC008KC080) ON THE TYPE200-24, PRIOR TO FITTING PMA048GZ001 (REFER TO SHEET 3 FOR FURTHER DETAILS)

- INDIVIDUAL ITEMS ARE NOT AVAILABLE AS SPARE PARTS FOR HEP, HAP AND HPP PUMPS WITH SERIAL NUMBERS EARLIER THAN **BR9070**. GP48 GEAR PUMP ASSEMBLY (PMA048GZ001)WILL NEED TO BE ORDERED. INDIVIDUAL ITEMS APART FROM ITEM NO.11 ARE AVAILABLE AS SPARE PARTS FOR HEP, HAP AND HPP PUMPS WITH SERIAL NUMBERS ABOVE **BR9070**

WHEN ORDERING SPARES YOU MUST STATE THE FULL PART NUMBER AND THE PRODUCT SERIAL NUMBER - FROM THE LABEL TO PROTECT YOUR WARRANTY ALWAYS USE GENUINE HI-FORCE PARTS.






				SERIAL NUMBERS		PRODUCT NO.	VERSION	
Hi-Force	MOTOR STARTER ASSEMBLY					EMA415UC001	01	SHT 1 OF 1 SHTS
		ITEM NO.	PART NUM	BER	DESCRIPTI	ON	QTY. SPAR	
	(12)	1	EMC000EF	001 ENCLOS	URE WITH PUSH	BUTTONS P1MT	1	1 5717
		2	EMC415KE	001	CONTACTOR	415 V	1	2
		3	EMC415RC	:001 OVER	LOAD RELAY	2.7-4.0 AMPS	1	3
	5	4	EMC110XF	001	BRIDGING	BAR	1	4
		5	NUC020LS	002	GLAND 6-12	2MM	2	6
(14) (9)	6	EMC000NZ	001	TERMINAL BI	JOCK	1	7
		7	CEC150DC	:000 4 CORE (CABLE 1.5 mm	2 H07RN-F 4G1.5	1	8
		8	CEC150EC			2 H07RN-F 5G1.5	1	9
\sim		9	CEC250SX	001 BOOTLAC	CE FERRULE (IN GREY	SULATED) 2.5mm	4	10
(6) 6		10	CEC250AC	SINGLE C		D CABLE 2.5mm ²	1	12
		11	BLC004JD0	D16 M4 x 16	mm HEX SOC SCREW	KET CAP HEAD	2	14
		12	WAC004YB	6000	M4 WASHE	R ST	2	15
		(5) 13	MCC415EP	2002 415	V, 32A ELECTR	ICAL PLUG	1	16
		14	CEC250SX	002 TWIN B	OOTLACE FER	RULE 2.5 mm ²	2	18
		15	CEC150SX	001 BOOTLAC	E FERRULE (INS	SULATED) 1.5mm	4	19
		16	CEC150SX	002 TWIN B	OOTLACE FER	RULE 1.5 mm ²	1	20
				RTS ARE AVAILA S MARKED WITH		dered as spare f	PARTS	
		WHEN C	RDERING	Spares you M	MPORTANT MUST STATE TI NUMBER - F	HE FULL PART NU	IMBER AN	D THE

www.hi-force.com

TO PROTECT YOUR WARRANTY ALWAYS USE GENUINE HI-FORCE PARTS.



Hi-Force

4 WAY, MANUALLY OPERATED, PUMP MOUNTED DIRECTIONAL CONTROL VALVE WITH LOAD HOLDING

SERIAL NUMBERS

PRODUCT NO.

VERSION	
01	SHT 2 OF

10 11

12 13

14

15 16

17

18

19 20

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.	SPARE PARTS	SERVICE PARTS
1	VFC010BF007	VALVE MOUNTING BLOCK	1		
2	BLC005HU020	M5 x 20 mm HEX SOCKET CAP HEAD SCREW	2		
3	BLC010LC100	M10 x 100 mm HEX SOCKET CAP HEAD SCREW	4		
4	BLC008KC060	M8 x 60 mm HEX SOCKET CAP HEAD SCREW	4		
5	BSC035NA001	NEEDLE BEARING	1		
6	BSC035NA002	HOUSING WASHER	1		
7	FPC002PN001	1/16" x 7/8" NPT SOCKET PLUG	3		
8	FPC003PN001	1/8" x 3/4" NPT TAPER DRY SEAL PRESS PLUG	1		
9	FPC010PN002	3/8" X 7/8" NPT SOCKET PLUG	2		
10	HLC012LP002	HANDLE	1		
11	PCC003RB006	Ø3 x 12 mm SELLOCK PIN	2		
12	PCC005RD002	Ø5 x 22 mm SPIROL PIN	2		
13	PCC006RD001	Ø6 X 22 mm SPIROL PIN	2		
14	SEC003KT001	VALVE GASKET	1		✓
15	SEC011BA001	BACK UP RING	3		✓
16	SEC012BA002	BACK UP RING	1		✓
17	SEC011RA001	O-RING - I.D. 8.10 mm, C.S. 1.6 mm, NITRILE 90	3		~
18	SEC012RA003	O-RING - I.D. 9 mm, C.S. 1.50 mm, NITRILE 70	1		~
19	SEC016RA002	O-RING - I.D. 10.77 mm, C.S. 2.62 mm, NITRILE 70	4		~
20	SEC049RF001	O-RING - I.D. 48.90 mm, C.S. 2.62 mm, NITRILE 90	1		~
21	SPC005KA001	SPRING	1		
22	SPC010CA001	SPRING	3		
23	VFC000BD003	VALVE BODY	1		
24	VFC000SC001	SHEAR SEAL COLLAR	3		
25	VFC000SQ002	VALVE ROTOR	1		

www.hi-force.com

				PMV4L		C)]		ht 2 Of 2 Shts
ITEM NO.	PART N	UMBER	DESCRIPTIO	Ν	QTY.	SPARE PARTS	SERVICE PARTS	RE	VISION
26	VFC000)SR002	SPINDLE		1			0	5717
27	VFC00	OSTOO 1	SHEAR SEAL PL	ATE	1			2	
28	VFC000	DSU001	Shear sea	L	3			3	
29	BAC00	55N000	Ø6 mm STEEL E	BALL	1			4	
30	V-8	245	DUAL CHECK V	ALVE	1			5	
31	BPC010	OSP004	3/8 NPT PLASTIC BLAN (RED)	IKING PLUG	2			6 7	
32	SEC014	RA001	O-RING - I.D. 9.19mm, (C.S. 2.62mm,	4		✓	8	
			NITRILE 90				-	9	

NOTE:

- ALL PARTS ARE AVAILABLE TO BE ORDERED AS SPARE PARTS (UNLESS MARKED WITH X).
- ONLY PARTS MARKED WITH **√**ARE AVAILABLE AS BOTH SPARE PARTS OR SERVICEABLE PARTS, FROM DCV-M1 : SERVICE KIT (3 & WAY MANUAL VALVES). (REFER TO DCV-M1 EVD FOR FULL PARTS LIST)
- IF ITEM NO. 30 IS ORDERED AS A SPARE PART, THIS ALREADY COMES WITH ITEM NO. 32. THEREFORE THESE ARE NOT REQUIRED TO BE ORDERED SEPERATELY.

IMPORTANT

WHEN ORDERING SPARES YOU MUST STATE THE FULL PART NUMBER AND THE PRODUCT SERIAL NUMBER - FROM THE LABEL TO PROTECT YOUR WARRANTY ALWAYS USE GENUINE HI-FORCE PARTS.

Hi-Force	PUMP SERVIC	CE KIT		SERIAL NUM	1BERS		PRODUCT NO. HEP-SK1		SHT 1 OF 1 SHTS
			·		ITEM NO.	PART NUMBER	DESCRIPTION	QTY.	
					1	15482	TANK GASKET	1	1 5717
					2	SEC010RA001	O-RING - I.D. 6.35 mm, C.S. 1.78 mm, NITRILE 70	2	 2 5939 3
			(1)		3	SEC014RF001	O-RING - I.D. 10.82 mm, C.S. 1.78 mm, NITRILE 90	10	
					4	SEC013RA001	O-RING - I.D. 9.25mm, C.S. 1.78mm, NITRILE 90	• 2	6
			le le		5	SEC019RF002	O-RING - I.D. 15.60, C.S. 1.78mm, NITRILE 90	2	7 8
					6	SEC013BA001	BACK-UP RING - PTFE, SOLID SPLIT	2	9
		0			7	SEC001KT003	GASKET	1	10
				6				I	12
									13
		000							14
\bigcirc			e						15 16
									17
ļ		o o o						I	18
	0	q 1 2	\sim						19
		(6) (3)							20
www.hi-force	e.com		PR	RODUCT	YOU SERIA	al number - F	I The full part number A FROM THE LABEL SE GENUINE HI-FORCE P		

Hi-Force	SERVICE KIT (3 & 4 WAY MANUAL VALVES)			PRODUCT NO.	version 01		SHT 1 OF
			1				1 SHTS
		NO.	PART NUMBER	DESCRIPTION		QTY.	REVISIO
		1	SEC003KT001	VALVE GASKET		1	1 5717
	(1)	2	SEC049RF001	O-RING - I.D. 48.90 r C.S. 2.62 mm, NITRIL	mm, .E 90	1	2
		3	SEC016RA002	O-RING - I.D. 10.77 r C.S. 2.62 mm, NITRIL	mm, .E 70	4	4
		4	SEC012BA002	BACK UP RING		1	5
		5	SEC012RA003	O-RING - I.D. 9 mm, 1.50 mm, NITRILE	C.S. 70	1	6 7
		6	SEC011BA001	BACK UP RING		3	8
		7	SEC011RA001	O-RING - I.D. 8.10 mm 1.6 mm, NITRILE 9	n, C.S. 90	3	9 10
		8	SEC014RA001	O-RING - I.D. 9.19mm 2.62mm, NITRILE 9	n, C.S. 90	4	11 12
	3	9	SEC010RF002	O-RING - I.D. 4.42 mm 2.62 mm, NITRILE	n, C.S. 70	1	13
							15
							16 17
							18
	(5) [0] (0)	-					19
							20
	WHE	I ORDERING SPARES YOL			BER A	AND	THE

WHEN ORDERING SPARES YOU MUST STATE THE FULL PART NUMBER AND THE PRODUCT SERIAL NUMBER - FROM THE LABEL TO PROTECT YOUR WARRANTY ALWAYS USE GENUINE HI-FORCE PARTS.